

Copyright © 2003 O'Reilly & Associates, Inc. All rights reserved.

Printed in the United States of America. This book was originally published as *C kurz & gut*, Copyright © 2002 by O'Reilly Verlag GmbH & Co. KG.

Published by O'Reilly & Associates, Inc., 1005 Gravenstein Highway North, Sebastopol, CA 95472.

O'Reilly & Associates books may be purchased for educational, business, or sales promotional use. Online editions are also available for most titles ([corporate@oreilly.com](mailto:corporate@oreilly.com)).

Nutshell Handbook, the Nutshell Handbook logo, and the O'Reilly logo are registered trademarks of O'Reilly & Associates, Inc. Many of the designations used by manufacturers and sellers to distinguish their products are claimed as trademarks. Where those designations appear in this book, and O'Reilly & Associates, Inc. was aware of a trademark claim, the designations have been printed in caps or initial caps. The association between the image of a cow and the topic of C is a trademark of O'Reilly & Associates, Inc.

While every precaution has been taken in the preparation of this book, the publisher and the author assume no responsibility for errors or omissions, or for damages resulting from the use of the information contained herein.



# Chapter 1. C Pocket Reference

Section 1.1. Introduction

Section 1.2. Fundamentals

Section 1.3. Basic Types

Section 1.4. Constants

Section 1.5. Expressions and Operators

Section 1.6. Type Conversions

Section 1.7. Statements

Section 1.8. Declarations

Section 1.9. Variables

Section 1.10. Derived Types

Section 1.11. Functions

Section 1.12. Linkage of Identifiers

Section 1.13. Preprocessing Directives

Section 1.14. Standard Library

Section 1.15. Standard Header Files

Section 1.16. Input and Output

Section 1.17. Numerical Limits and Number Classification

Section 1.18. Mathematical Functions

Section 1.19. Character Classification and Case Mapping

Section 1.20. String Handling

Section 1.21. Searching and Sorting

Section 1.22. Memory Block Management

Section 1.23. Dynamic Memory Management

Section 1.24. Time and Date

Section 1.25. Process Control

Section 1.26. Internationalization



## 1.1 Introduction

The programming language C was developed in the 1970s by Dennis Ritchie at Bell Labs (Murray Hill, New Jersey) in the process of implementing the Unix operating system on a DEC PDP-11 computer. C has its origins in the typeless programming language BCPL (Basic Combined Programming Language, developed by M. Richards) and in B (developed by K. Thompson). In 1978, Brian Kernighan and Dennis Ritchie produced the first publicly available description of C, now known as the K&R standard.

C is a highly portable language oriented towards the architecture of today's computers. The actual language itself is relatively small and contains few hardware-specific elements. It includes no input/output statements or memory management techniques, for example. Functions to address these tasks are available in the extensive C standard library.

C's design has significant advantages:

- Source code is highly portable
- Machine code is efficient
- C compilers are available for all current systems

The first part of this pocket reference describes the C language, and the second part is devoted to the C standard library. The description of C is based on the ANSI X3.159 standard. This standard corresponds to the international standard ISO/IEC 9899, which was adopted by the International Organization for Standardization in 1990, then amended in 1995 and 1999. The ISO/IEC 9899 standard can be ordered from the ANSI web site; see [http://ansi.org/public/std\\_info.html](http://ansi.org/public/std_info.html).

The 1995 standard is supported by all common C compilers today. The new extensions defined in the 1999 release (called "ANSI C99" for short) are not yet implemented in many C compilers, and are therefore specially labeled in this book. New types, functions, and macros introduced in ANSI C99 are indicated by an asterisk in parentheses (\*).

### 1.1.1 Font Conventions

The following typographic conventions are used in this book:

*Italic*

Used to introduce new terms, and to indicate filenames.

Constant width

Used for C program code as well as for functions and directives.

*Constant width italic*

Indicates replaceable items within code syntax.

**Constant width bold**

Used to highlight code passages for special attention.



## 1.2 Fundamentals

A C program consists of individual building blocks called functions, which can invoke one another. Each function performs a certain task. Ready-made functions are available in the standard library; other functions are written by the programmer as necessary. A special function name is `main()`: this designates the first function invoked when a program starts. All other functions are subroutines.

### 1.2.1 C Program Structure

[Figure 1-1](#) illustrates the structure of a C program. The program shown consists of the functions `main()` and `showPage()`, and prints the beginning of a text file to be specified on the command line when the program is started.

**Figure 1-1. A C program**

The statements that make up the functions, together with the necessary declarations and preprocessing directives, form the source code of a C program. For small programs, the source code is written in a single source file. Larger C programs consist of several source files, which can be edited and compiled separately. Each such source file contains functions that belong to a logical unit, such as functions for output to a terminal, for example. Information that is needed in several source files, such as declarations, is placed in header files. These can then be included in each source file via the `#include` directive.

Source files have names ending in `.c`; header files have names ending in `.h`. A source file together with the header files included in it is called a translation unit.

There is no prescribed order in which functions must be defined. The function `showPage()` in [Figure 1-1](#) could also be placed before the function `main()`. A function cannot be defined within another function, however.

The compiler processes each source file in sequence and decomposes its contents into tokens, such as function names and operators. Tokens can be separated by one or more whitespace characters, such as space, tab, or newline characters. Thus only the order of tokens in the file matters. The layout of the source code—line breaks and indentation, for example—is unimportant. The preprocessing directives are an exception to this rule, however. These directives are commands to be executed by the preprocessor before the actual program is

compiled, and each one occupies a line to itself, beginning with a hash mark (#).

Comments are any strings enclosed either between /\* and \*/, or between // and the end of the line. In the preliminary phases of translation, before any object code is generated, each comment is replaced by one space. Then the preprocessing directives are executed.

### 1.2.2 Character Sets

ANSI C defines two character sets. The first is the source character set, which is the set of characters that may be used in a source file. The second is the execution character set, which consists of all the characters that are interpreted during the execution of the program, such as the characters in a string constant.

Each of these character sets contains a basic character set, which includes the following:

- The 52 upper- and lower-case letters of the Latin alphabet:

```
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z
```

- The ten decimal digits (where the value of each character after 0 is one greater than the previous digit):

```
0 1 2 3 4 5 6 7 8 9
```

- The following 29 graphic characters:

```
! " # $ % & ' ( ) * + , - . / : ;
< = > ? [ \ ] ^ _ { | } ~
```

- The five whitespace characters:

space, horizontal tab, vertical tab, newline, form feed

In addition, the basic execution character set contains the following:

- The null character \0, which terminates a character string
- The control characters represented by simple escape sequences, shown in [Table 1-1](#), for controlling output devices such as terminals or printers

Table 1-1. The standard escape sequences			
Escape sequence	Action on display device	Escape sequence	Action on display device
\a	Alert (beep)	\'	The character '
\b	Backspace	\"	The character "
\f	Form feed	\?	The character ?
\n	Newline	\\	The character \
\r	Carriage return	\o \oo \ooo (o = octal digit)	The character with this octal code
\t	Horizontal tab	\xh.. (h.. = string of hex digits)	The character with this hexadecimal code
\v	Vertical tab		



Any other characters, depending on the given compiler, can be used in comments, strings, and character constants. These may include the dollar sign or diacriticals, for example. However, the use of such characters may affect portability.

The set of all usable characters is called the extended character set, which is always a superset of the basic character set.

Certain languages use characters that require more than one byte. These multibyte characters may be included in the extended character set. Furthermore, ANSI C99 provides the integer type `wchar_t` (wide character type), which is large enough to represent any character in the extended character set. The modern Unicode character encoding is often used, which extends the standard ASCII code to represent some 35,000 characters from 24 countries.

C99 also introduces trigraph sequences. These sequences, shown in [Table 1-2](#), can be used to input graphic characters that are not available on all keyboards. The sequence `??!`, for example, can be entered to represent the "pipe" character `|`.

Trigraph	<code>??=</code>	<code>??(</code>	<code>??/</code>	<code>??)</code>	<code>??'</code>	<code>??&lt;</code>	<code>??!</code>	<code>??&gt;</code>	<code>??-</code>
Meaning	<code>#</code>	<code>[</code>	<code>\</code>	<code>]</code>	<code>^</code>	<code>{</code>	<code> </code>	<code>}</code>	<code>~</code>

### 1.2.3 Identifiers

Identifiers are names of variables, functions, macros, types, etc. Identifiers are subject to the following formative rules:

- An identifier consists of a sequence of letters (A to Z, a to z), digits (0 to 9), and underscores (`_`).
- The first character of an identifier must not be a digit.
- Identifiers are case-sensitive.
- There is no restriction on the length of an identifier. However, only the first 31 characters are generally significant.

Keywords are reserved and must not be used as identifiers. Following is a list of keywords:

External names—that is, identifiers of externally linked functions and variables—may be subject to other restrictions, depending on the linker: in portable C programs, external names should be chosen so that only the first eight characters are significant, even if the linker is not case-sensitive.

Some examples of identifiers are:

Valid: `a`, `DM`, `dm`, `FLOAT`, `_var1`, `topOfWindow`

Invalid: `do`, `586_cpu`, `zähler`, `nl-flag`, `US_$`

### 1.2.4 Categories and Scope of Identifiers

Each identifier belongs to exactly one of the following four categories:

- Label names
- The tags of structures, unions, and enumerations. These are identifiers that follow one of the keywords `struct`, `union`, or `enum` (see [Section 1.10](#)).

- Names of structure or union members. Each structure or union type has a separate name space for its members.
- All other identifiers, called ordinary identifiers.

Identifiers of different categories may be identical. For example, a label name may also be used as a function name. Such re-use occurs most often with structures: the same string can be used to identify a structure type, one of its members, and a variable; for example:

```
struct person {char *person; /*...*/} person;
```

The same names can also be used for members of different structures.

Each identifier in the source code has a scope . The scope is that portion of the program in which the identifier can be used. The four possible scopes are:

#### *Function prototype*

Identifiers in the list of parameter declarations of a function prototype (not a function definition) have function prototype scope . Because these identifiers have no meaning outside the prototype itself, they are little more than comments.

#### *Function*

Only label names have function scope. Their use is limited to the function block in which the label is defined. Label names must also be unique within the function. The `goto` statement causes a jump to a labelled statement within the same function.

#### *Block*

Identifiers declared in a block that are not labels have block scope. The parameters in a function definition also have block scope. Block scope begins with the declaration of the identifier and ends with the closing brace (}) of the block.

#### *File*

Identifiers declared outside all blocks and parameter lists have file scope. File scope begins with the declaration of the identifier and extends to the end of the source file.

An identifier that is not a label name is not necessarily visible throughout its scope. If an identifier with the same category as an existing identifier is declared in a nested block, for example, the outer declaration is temporarily hidden. The outer declaration becomes visible again when the scope of the inner declaration ends.

## 1.3 Basic Types

The type of a variable determines how much space it occupies in storage and how the bit pattern stored is interpreted. Similarly, the type of a function determines how its return value is to be interpreted.

Types can be either predefined or derived. The predefined types in C are the basic types and the type `void`. The basic types consist of the integer types and the floating types.

### 1.3.1 Integer Types

There are five signed integer types: `signed char`, `short int` (or `short`), `int`, `long int` (or `long`), and `long long int`(\*) (or `long long`(\*)). For each of these types there is a corresponding unsigned integer type with the same storage size. The unsigned type is designated by the prefix `unsigned` in the type specifier, as in `unsigned int`.

The types `char`, `signed char`, and `unsigned char` are formally different. Depending on the compiler settings, however, `char` is equivalent either to `signed char` or to `unsigned char`. The prefix `signed` has no meaning for the types `short`, `int`, `long`, and `long long`(\*), however, since they are always considered to be signed. Thus `short` and `signed short` specify the same type.

The storage size of the integer types is not defined; however, their width is ranked in the following order: `char` <= `short` <= `int` <= `long` <= `long long`(\*). Furthermore, the size of type `short` is at least 2 bytes, `long` at least 4 bytes, and `long long` at least 8 bytes. Their value ranges for a given implementation are found in the header file *limits.h*.

ANSI C99 also introduces the type `_Bool` to represent Boolean values. The Boolean value `true` is represented by 1 and `false` by 0. If the header file *stdbool.h* has been included, then `bool` can be used as a synonym for `_Bool` and the macros `true` and `false` for the integer constants 1 and 0. Table 1-3 shows the standard integer types together with some typical value ranges.

Type	Storage size	Value range (decimal)
<code>_Bool</code>	1 byte	0 and 1
<code>char</code>	1 byte	-128 to 127 or 0 to 255
<code>unsigned char</code>	1 byte	0 to 255
<code>signed char</code>	1 byte	-128 to 127
<code>int</code>	2 or 4 bytes	-32,768 to 32,767 or -2,147,483,648 to 2,147,483,647
<code>unsigned int</code>	2 or 4 bytes	0 to 65,535 or 0 to 4,294,967,295
<code>short</code>	2 bytes	-32,768 to 32,767
<code>unsigned short</code>	2 bytes	0 to 65,535
<code>long</code>	4 bytes	-2,147,483,648 to 2,147,483,647
<code>unsigned long</code>	4 bytes	0 to 4,294,967,295
<code>long long</code> (*)	8 bytes	-9,223,372,036,854,775,808 to 9,223,372,036,854,775,807
<code>unsigned long long</code> (*)	8 bytes	0 to 18,446,744,073,709,551,615

ANSI C99 introduced the header file *stdint.h*(\*), which defines integer types with specific widths (see Table 1-4). The width N of an integer type is the number of bits used to represent values of that type, including the sign bit. (Generally, N = 8, 16, 32, or 64.)

Type	Meaning
<code>intN_t</code>	Width is exactly N bits
<code>int_leastN_t</code>	Width is at least N bits
<code>int_fastN_t</code>	The fastest type with width of at least N bits

<code>intmax_t</code>	The widest integer type implemented
<code>intptr_t</code>	Wide enough to store the value of a pointer

For example, `int16_t` is an integer type that is exactly 16 bits wide, and `int_fast32_t` is the fastest integer type that is 32 or more bits wide. These types must be defined for the widths  $N = 8, 16, 32,$  and  $64$ . Other widths, such as `int24_t`, are optional. For example:

```
int16_t val = -10; // integer variable

                // width: exactly 16 bits
```

For each of the signed types described above, there is also an unsigned type with the prefix `u`. `uintmax_t`, for example, represents the implementation's widest unsigned integer type.

### 1.3.2 Real and Complex Floating Types

Three types are defined to represent non-integer real numbers: `float`, `double`, and `long double`. These three types are called the real floating types .

The storage size and the internal representation of these types are not specified in the C standard, and may vary from one compiler to another. Most compilers follow the IEEE 754-1985 standard for binary floating-point arithmetic, however. [Table 1-5](#) is also based on the IEEE representation.

Type	Storage size	Value range(decimal, unsigned)	Precision (decimal)
<code>float</code>	4 bytes	1.2E-38 to 3.4E+38	6 decimal places
<code>double</code>	8 bytes	2.3E-308 to 1.7E+308	15 decimal places
<code>long double</code>	10 bytes	3.4E-4932 to 1.1E+4932	19 decimal places

The header file `float.h` defines symbolic constants that describe all aspects of the given representation (see [Section 1.17](#)).

#### 1.3.2.1 Internal representation of a real floating-point number

The representation of a floating-point number  $x$  is always composed of a sign  $s$ , a mantissa  $m$ , and an exponent  $exp$  to base 2:

$$x = s * m * 2^{exp}, \text{ where } 1.0 \leq m < 2 \text{ or } m = 0$$

The precision of a floating type is determined by the number of bits used to store the mantissa. The value range is determined by the number of bits used for the exponent.

[Figure 1-2](#) shows the storage format for the `float` type (32-bit) in IEEE representation.

**Figure 1-2. IEEE storage format for the 32-bit float type**

The sign bit  $S$  has the value 1 for negative numbers and 0 for other numbers. Because in binary the first bit of the mantissa is always 1, it is not represented. The exponent is stored with a bias added, which is 127 for the `float` type.

For example, the number  $-2.5 = -1 * 1.25 * 2^1$  is stored as:

$$S = 1, \text{ Exponent} = 1+127 = 128, \text{ Mantissa} = 0.25$$

### 1.3.2.2 Complex floating types

ANSI C99 introduces special floating types to represent the complex numbers and the pure imaginary numbers. Every complex number  $z$  can be represented in Cartesian coordinates as follows:

$$z = x + i*y$$

where  $x$  and  $y$  are real numbers and  $i$  is the imaginary unit.

The real numbers  $x$  and  $y$  represent respectively the real part and the imaginary part of  $z$ .

Complex numbers can also be represented in polar coordinates:

$$z = r * (\cos(\theta) + i * \sin(\theta))$$

The angle  $\theta$  is called the argument and the number  $r$  is the magnitude or absolute value of  $z$ .

In C, a complex number is represented as a pair of real and imaginary parts, each of which has type `float`, `double`, or `long double`. The corresponding complex floating types are `float _Complex`, `double _Complex`, and `long double _Complex`.

In addition, the pure imaginary numbers i. e., the complex numbers  $z = i*y$  where  $y$  is a real number can also be represented by the types `float _Imaginary`, `double _Imaginary`, and `long double _Imaginary`.

Together, the real and the complex floating types make up the floating types.

### 1.3.3 The Type void

The type specifier `void` indicates that no value is available. It is used in three kinds of situations:

Expressions of type `void`

There are two uses for `void` expressions. First, functions that do not return a value are declared as `void`. For example:

```
void exit (int status);
```

Second, the cast construction `(void) expression` can be used to explicitly discard the value of an expression. For example:

```
(void)printf("An example.");
```

Prototypes of functions that have no parameters

For example:

```
int rand(void);
```

Pointers to `void`

The type `void *` (pronounced "pointer to void") represents the address of an object, but not the object's type. Such "typeless" pointers are mainly used in functions that can be called with pointers to different types as parameters. For example:

```
void *memcpy(void *dest, void *source, size_t count);
```



## 1.4 Constants

Every constant is either an integer constant, a floating constant, a character constant, or a string literal. There are also enumeration constants, which are described in [Section 1.10.1](#). Every constant has a type that is determined by its value and its notation.

### 1.4.1 Integer Constants

Integer constants can be represented as ordinary decimal numbers, octal numbers, or hexadecimal numbers:

- A decimal constant (base 10) begins with a digit that is not 0; for example: 1024
- An octal constant (base 8) begins with a 0; for example: 012
- A hexadecimal constant (base 16) begins with the two characters 0x or 0X; for example: 0x7f, 0X7f, 0x7F, 0X7F. The hexadecimal digits A to F are not case-sensitive.

The type of an integer constant, if not explicitly specified, is the first type in the appropriate hierarchy that can represent its value.

For decimal constants, the hierarchy of types is:

`int, long, unsigned long, long long(*)`.

For octal or hexadecimal constants, the hierarchy of types is:

`int, unsigned int, long, unsigned long, long long(*),  
unsigned long long(*)`.

Thus, integer constants normally have type `int`. The type can also be explicitly specified by one of the suffixes `L` or `l` (for `long`), `LL(*)` or `ll(*)` (for `long long(*)`), and/or `U` or `u` (for `unsigned`). [Table 1-6](#) provides some examples.

Decimal	Octal	Hexadecimal	Type
15	017	0xf	<code>int</code>
32767	077777	0x7FFF	<code>int</code>
10U	012U	0xAU	<code>unsigned int</code>
32768U	0100000U	0x8000u	<code>unsigned int</code>
16L	020L	0x10L	<code>long</code>
27UL	033ul	0x1BUL	<code>unsigned long</code>

The macros in [Table 1-7](#) are defined to represent constants of an integer type with a given maximum or minimum width `N` (e. g., = 8, 16, 32, 64). Each of these macros takes a constant integer as its argument and is replaced by the same value with the appropriate type.

Macro	Return type
<code>INTMAX_C()</code>	<code>intmax_t</code>
<code>UINTMAX_C()</code>	<code>uintmax_t</code>
<code>INTN_C()</code>	<code>int_leastN_t</code>
<code>UINTN_C()</code>	<code>uint_leastN_t</code>

## 1.4.2 Floating Constants

A floating constant is represented as a sequence of decimal digits with one decimal point, or an exponent notation. Some examples are:

```
41.9
```

```
5.67E-3 // The number 5.67*10-3
```

E can also be written as e. The letter P or p is used to represent a floating constant with an exponent to base 2 (ANSI C99); for example:

```
2.7P+6 // The number 2.7*26
```

The decimal point or the notation of an exponent using E, e, P(\*), or p(\*) is necessary to distinguish a floating constant from an integer constant.

Unless otherwise specified, a floating constant has type `double`. The suffix F or f assigns the constant the type `float`; the suffix L or l assigns it the type `long double`. Thus the constants in the previous examples have type `double`, `12.34F` has type `float`, and `12.34L` has type `long double`.

Each of the following constants has type `double`. All the constants in each row represent the same value:

## 1.4.3 Character Constants and String Literals

A character constant consists of one or more characters enclosed in single quotes. Some examples are:

```
'0'    'A'    'ab'
```

Character constants have type `int`. The value of a character constant that contains one character is the numerical value of the representation of the character. For example, in the ASCII code, the character constant `'0'` has the value 48, and the constant `'A'` has the value 65.

The value of a character constant that contains more than one character is dependent on the given implementation. To ensure portability, character constants with more than one character should be avoided.

Escape sequences such as `'\n'` may be used in character constants. The characters `'` and `\` can also be represented this way.

The prefix L can be used to give a character constant the type `wchar_t`; for example:

```
L'A'    L'\x123'
```

A string literal consists of a sequence of characters and escape sequences enclosed in double quotation marks; for example:

```
"I am a string!\n"
```

A string literal is stored internally as an array of `char` (see [Section 1.10](#)) with the string terminator `'\0'`. It is therefore one byte longer than the specified character sequence. The empty string occupies exactly one byte. A string literal is also called a string constant, although the memory it occupies may be modified.

The string literal `"Hello!"`, for example, is stored as a `char` array, as shown in [Figure 1-3](#).



**Figure 1-3. A string literal stored as a char array**

String literals that are separated only by whitespace are concatenated into one string. For example:

```
"hello" " world!" is equivalent to "hello world!".
```

Because the newline character is also a whitespace character, this concatenation provides a simple way to continue a long string literal in the next line of the source code.

Wide string literals can also be defined as arrays whose elements have type `wchar_t`. Again, this is done by using the prefix `L`; for example:

```
L"I am a string of wide characters!"
```



## 1.5 Expressions and Operators

An expression is a combination of operators and operands. In the simplest case, an expression consists simply of a constant, a variable, or a function call. Expressions can also serve as operands, and can be joined together by operators into more complex expressions.

Every expression has a type and, if the type is not `void`, a value. Some examples of expressions follow:

```
4 * 512 // Type: int

printf("An example!\n") // Type: int

1.0 + sin(x) // Type: double

srand((unsigned)time(NULL)) // Type: void

(int*)malloc(count*sizeof(int)) // Type: int *
```

In expressions with more than one operator, the precedence of the operators determines the grouping of operands with operators. The arithmetic operators `*`, `/`, and `%`, for example, take precedence over `+` and `-`. In other words, the usual rules apply for the order of operations in arithmetic expressions. For example:

```
4 + 6 * 512 // equivalent to 4 + (6 * 512)
```

If a different grouping is desired, parentheses must be used:

```
(4 + 6) * 512
```

Table 1-8 lists the precedence of operators.

Table 1-8. Precedence of operators		
Priority	Operator	Grouping
1	() [] -> .	left to right
2	! ~ ++ -- + -(type) * & sizeof	right to left
3	* / %	left to right
4	+ -	left to right
5	<< >>	left to right
6	< <= > >=	left to right
7	== !=	left to right
8	&	left to right
9	^	left to right
10		left to right
11	&&	left to right
12		left to right
13	?:	right to left
14	= += -= *= /= %= &= ^=  = <<= >>=	right to left
15	,	left to right

If two operators have equal precedence, then the operands are grouped as indicated in the "Grouping" column of Table 1-8. For example:

```
2 * 5 / 3 // equivalent to (2 * 5) / 3
```

Operators can be unary or binary: a unary operator has one operand, while a binary operator has two. This distinction is important for two reasons:

- All unary operators have the same precedence.
- The four characters `-`, `+`, `*`, and `&` can represent unary or binary operators, depending on the number of operands.

Furthermore, C has one ternary operator: the conditional operator `?:` has three operands.

The individual operators are briefly described in [Table 1-9](#) through [Table 1-16](#) in the following sections. The order in which the operands are evaluated is not defined, except where indicated. For example, there's no guarantee which of the following functions will be invoked first:

```
f1() + f2() // Which of the two functions is
            // called first is not defined.
```

### 1.5.1 Arithmetic Operators

Operator	Meaning	Example	Result
<code>*</code>	Multiplication	<code>x * y</code>	The product of <code>x</code> and <code>y</code> .
<code>/</code>	Division	<code>x / y</code>	The quotient of <code>x</code> by <code>y</code> .
<code>%</code>	Modulo division	<code>x % y</code>	The remainder of the division <code>x / y</code> .
<code>+</code>	Addition	<code>x + y</code>	The sum of <code>x</code> and <code>y</code> .
<code>-</code>	Subtraction	<code>x - y</code>	The difference of <code>x</code> and <code>y</code> .
<code>+</code> (unary)	Positive sign	<code>+x</code>	The value of <code>x</code> .
<code>-</code> (unary)	Negative sign	<code>-x</code>	The arithmetic negation of <code>x</code> .
<code>++</code>	Increment	<code>++x</code> <code>x++</code>	<code>x</code> is incremented ( <code>x=x+1</code> ). The prefixed operator ( <code>++x</code> ) increments the operand before it is evaluated; the postfix operator ( <code>x++</code> ) increments the operand after it is evaluated.
<code>--</code>	Decrement	<code>--x</code> <code>x--</code>	<code>x</code> is decremented ( <code>x=x-1</code> ). The prefixed operator ( <code>--x</code> ) decrements the operand before it is evaluated; the postfix operator ( <code>x--</code> ) decrements the operand after it is evaluated.

The operands of arithmetic operators may have any arithmetic type. Only the `%` operator requires integer operands.

The usual arithmetic conversions may be performed on the operands. For example, `3.0/2` is equivalent to `3.0/2.0`. The result has the type of the operands after such conversion.

Note that the result of division with integer operands is also an integer! For example:

```
6 / 4 // Result: 1
6 % 4 // Result: 2
6.0 / 4.0 // Result: 1.5
```

The increment operator `++` (and analogously, the decrement operator `--`) can be placed either before or after its operand. A variable `x` is incremented (i. e., increased by 1) both by `++x` (prefix notation) and `x++` (postfix notation). The expressions nonetheless yield different values: the expression `++x` has the value of `x` increased by 1, while the expression `x++` yields the prior, unincremented value of `x`.

Because the operators `++` and `--` perform an assignment, their operand must be an lvalue; i. e., an expression that designates a location in memory, such as a variable.

The operators `++`, `--`, `+` (addition), and `-` (subtraction) can also be used on pointers. For more information on pointers and pointer arithmetic, see [Section 1.10](#).

### 1.5.2 Assignment Operators

Assignments are performed by simple and compound assignment operators, as shown in [Table 1-10](#).

Table 1-10. Assignment operators			
Operator	Meaning	Example	Result
<code>=</code>	Simple assignment	<code>x = y</code>	Assign the value of <code>y</code> to <code>x</code>
<code>op=</code>	Compound assignment	<code>x += y</code>	<code>x op= y</code> is equivalent to <code>x = x op (y)</code> (where <code>op</code> is a binary arithmetic or binary bitwise operator)

The left operand in an assignment must be an `lvalue`; i. e., an expression that designates an object. This object is assigned a new value.

The simplest examples of `lvalues` are variable names. In the case of a pointer variable `ptr`, both `ptr` and `*ptr` are `lvalues`. Constants and expressions such as `x+1`, on the other hand, are not `lvalues`.

The following operands are permissible in a simple assignment (`=`):

- Two operands with arithmetic types
- Two operands with the same structure or union type
- Two pointers that both point to objects of the same type, unless the right operand is the constant `NULL`

If one operand is a pointer to an object, then the other may be a pointer to the "incomplete" type `void` (i. e., `void *`).

If the two operands have different types, the value of the right operand is converted to the type of the left operand.

An assignment expression has the type and value of the left operand after the assignment. Assignments are grouped from right to left. For example:

```
a = b = 100; // equivalent to a=(b=100);
           // The value 100 is assigned to b and a.
```

A compound assignment has the form `x op= y`, where `op` is a binary arithmetic operator or a binary bitwise operator. The value of `x op (y)` is assigned to `x`. For example:

```
a *= b+1; // equivalent to a = a * (b + 1);
```

In a compound assignment `x op= y`, the expression `x` is only evaluated once. This is the only difference between `x op= y` and `x = x op (y)`.

### 1.5.3 Relational Operators and Logical Operators

Every comparison is an expression of type `int` that yields the value 1 or 0. The value 1 means "true" and 0 means "false." Comparisons use the relational operators listed in [Table 1-11](#).

--

**Table 1-11. The relational operators**

Operator	Meaning	Example	Result: 1 (true) or 0 (false)
<	less than	$x < y$	1 if $x$ is less than $y$
<=	less than or equal to	$x <= y$	1 if $x$ is less than or equal to $y$
>	greater than	$x > y$	1 if $x$ is greater than $y$
>=	greater than or equal to	$x >= y$	1 if $x$ is greater than or equal to $y$
==	equal to	$x == y$	1 if $x$ is equal to $y$
!=	not equal to	$x != y$	1 if $x$ is not equal to $y$ . In all other cases, the expression yields 0.

The following operands are permissible for all relational operators:

- Two operands with real arithmetic types. The usual arithmetic conversions may be performed on the operands.
- Two pointers to objects of the same type.

The equality operators `==` and `!=` can also be used to compare complex numbers. Furthermore, the operands may also be pointers to functions of the same type. A pointer may also be compared with `NULL` or with a pointer to `void`. For example:

```
int cmp, *p1, *p2;

. . .

cmp = p1 < p2; // if p1 is less than p2, then cmp = 1;

           // otherwise cmp = 0.
```

### 1.5.4 Logical Operators

The logical operators, shown in [Table 1-12](#), can be used to combine the results of several comparison expressions into one logical expression.

**Table 1-12. The logical operators**

Operator	Meaning	Example	Result: 1 (true) or 0 (false)
&&	logical AND	$x \ \&\& \ y$	1 if both $x$ and $y$ are not equal to 0
	logical OR	$x \    \ y$	1 if either or both of $x$ and $y$ is not equal to 0
!	logical NOT	$!x$	1 if $x$ equals 0. In all other cases, the expression yields 0.

The operands of logical operators may have any scalar (i. e., arithmetic or pointer) type. Any value except 0 is interpreted as "true"; 0 is "false."

Like relational expressions, logical expressions yield the values "true" or "false"; that is, the `int` values 0 or 1:

```
!x || y // "(not x) or y" yields 1 (true)

           // if x == 0 or y != 0
```

The operators `&&` and `||` first evaluate the left operand. If the result of the operation is already known from the value of the left operand (i. e., the left operand of `&&` is 0 or the left operand of `||` is not 0), then the right operand is not evaluated. For example:

```
i < max && scanf("%d", &x) == 1
```

In this logical expression, the function `scanf()` is only called if `i` is less than `max`.

## 1.5.5 Bitwise Operators

There are six bitwise operators, described in [Table 1-13](#). All of them require integer operands.

Operator	Meaning	Example	Result (for each bit position)
&	bitwise AND	$x \& y$	1, if 1 in both $x$ and $y$
	bitwise OR	$x   y$	1, if 1 in either $x$ or $y$ , or both
^	bitwise exclusive OR	$x \wedge y$	1, if 1 in either $x$ or $y$ , but not both
~	bitwise NOT	$\sim x$	1, if 0 in $x$
<<	shift left	$x \ll y$	Each bit in $x$ is shifted $y$ positions to the left
>>	shift right	$x \gg y$	Each bit in $x$ is shifted $y$ positions to the right

The logical bitwise operators, & (AND), | (OR), ^ (exclusive OR), and ~ (NOT) interpret their operands bit by bit: a bit that is set, i. e., 1, is considered "true"; a cleared bit, or 0, is "false". Thus, in the result of  $z = x \& y$ , each bit is set if and only if the corresponding bit is set in both  $x$  and  $y$ . The usual arithmetic conversions are performed on the operands.

The shift operators << and >> transpose the bit pattern of the left operand by the number of bit positions indicated by the right operand. Integer promotions are performed beforehand on both operands. The result has the type of the left operand after integer promotion. Some examples are:

```
int x = 0xF, result;

result = x << 4; // yields 0xF0

result = x >> 2; // yields 0x3
```

The bit positions vacated at the right by the left shift << are always filled with 0 bits. Bit values shifted out to the left are lost.

The bit positions vacated at the left by the right shift >> are filled with 0 bits if the left operand is an unsigned type or has a non-negative value. If the left operand is signed and negative, the left bits may be filled with 0 (logical shift) or with the value of the sign bit (arithmetic shift), depending on the compiler.

## 1.5.6 Memory Accessing Operators

The operators in [Table 1-14](#) are used to access objects in memory. The terms used here, such as pointer, array, structure, etc., are introduced later under [Section 1.10](#).

Operator	Meaning	Example	Result
&	Address of	$\&x$	A constant pointer to $x$
*	Indirection	$*p$	The object (or function) pointed to by $p$
[ ]	Array element	$x[i]$	$*(x+i)$ , the element with index $i$ in the array $x$
.	Member of a structure or union	$s.x$	The member named $x$ in the structure or union $s$
->	Member of a structure or union	$p->x$	The member named $x$ in the structure or union pointed to by $p$

The operand of the address operator & must be an expression that designates a function or an object. The address operator & yields the address of its operand. Thus an expression of the form  $\&x$  is a pointer to  $x$ . The operand of & must not be a bit-field, nor a variable declared with the storage class specifier `register`.

The indirection operator \* is used to access an object or a function through a pointer. If `ptr` is a pointer to an object or function, then  $*ptr$  designates the object or function pointed to by `ptr`. For example:

```
int a, *pa; // An int variable and a pointer to int.
```

```
pa = &a; // Let pa point to a.
```

```
*pa = 123; // Now equivalent to a = 123;
```

The subscript operator `[]` can be used to address the elements of an array. If `v` is an array and `i` is an integer, then `v[i]` denotes the element with index `i` in the array. In more general terms, one of the two operands of the operator `[]` must be a pointer to an object (e. g., an array name), and the other must be an integer. An expression of the form `x[i]` is equivalent to `(* (x + (i)))`. For example:

```
float a[10], *pa; // An array and a pointer.
```

```
pa = a; // Let pa point to a[0].
```

Since `pa` points to `a[0]`, `pa[3]` is equivalent to `a[3]` or `*(a+3)`.

The operators `.` and `->` designate a member of a structure or union. The left operand of the dot operator must have a structure or union type. The left operand of the arrow operator is a pointer to a structure or union. In both cases, the right operand is the name of a member of the type. The result has the type and value of the designated member.

If `p` is a pointer to a structure or union and `x` is the name of a member, then `p->x` is equivalent to `(*p).x`, and yields the member `x` of the structure (or union) to which `p` points.

The operators `.` and `->`, like `[]`, have the highest precedence, so that an expression such as `++p->x` is equivalent to `++(p->x)`.

### 1.5.7 Other Operators

The operators in [Table 1-15](#) do not belong to any of the categories described so far.

Table 1-15. Other operators			
Operator	Meaning	Example	Result
<code>()</code>	Function call	<code>pow(x, y)</code>	Execute the function with the arguments <code>x</code> and <code>y</code>
<code>(type)</code>	Cast	<code>(long)x</code>	The value of <code>x</code> with the specified type
<code>sizeof</code>	Size in bytes	<code>sizeof(x)</code>	The number of bytes occupied by <code>x</code>
<code>?:</code>	Conditional evaluation	<code>x?y:z</code>	If <code>x</code> is not equal to 0, then <code>y</code> , otherwise <code>z</code>
	Sequence operator	<code>x, y</code>	Evaluate <code>x</code> first, then <code>y</code>

A function call consists of a pointer to a function (such as a function name) followed by parentheses `()` containing the argument list, which may be empty.

The cast operator can only be used on operands with scalar types! An expression of the form `(type)x` yields the value of the operand `x` with the type specified in the parentheses.

The operand of the `sizeof` operator is either a type name in parentheses or any expression that does not have a function type. The `sizeof` operator yields the number of bytes required to store an object of the specified type, or the type of the expression. The result is a constant of type `size_t`.

The conditional operator `?:` forms a conditional expression. In an expression of the form `x?y:z`, the left operand `x` is evaluated first. If the result is not equal to 0 (in other words, if `x` is "true"), then the second



operand  $y$  is evaluated, and the expression yields the value of  $y$ . However, if  $x$  is equal to 0 ("false"), then the third operand  $z$  is evaluated, and the expression yields the value of  $z$ .

The first operand can have any scalar type. If the second and third operands do not have the same type, then a type conversion is performed. The type to which both can be converted is the type of the result. The following types are permissible for the second and third operands:

- Two operands with arithmetic types.
- Two operands with the same structure or union type, or the type `void`.
- Two pointers, both of which point to objects of the same `type`, unless one of them is the constant `NULL`. If one operand is an object pointer, the other may be a pointer to `void`.

The sequence or comma operator `,` has two operands: first the left operand is evaluated, then the right. The result has the type and value of the right operand. Note that a comma in a list of initializations or arguments is not an operator, but simply a punctuation mark!

### 1.5.7.1 Alternative notation for operators

The header file `iso646.h` defines symbolic constants that can be used as synonyms for certain operators, as listed in [Table 1-16](#).

Table 1-16. Symbolic constants for operators							
Constant	Meaning		Constant	Meaning		Constant	Meaning
<code>and</code>	<code>&amp;&amp;</code>		<code>bitand</code>	<code>&amp;</code>		<code>and_eq</code>	<code>&amp;=</code>
<code>or</code>	<code>  </code>		<code>bitor</code>	<code> </code>		<code>or_eq</code>	<code> =</code>
<code>not</code>	<code>!</code>		<code>xor</code>	<code>^</code>		<code>xor_eq</code>	<code>^=</code>
			<code>compl</code>	<code>~</code>		<code>not_eq</code>	<code>!=</code>



## 1.6 Type Conversions

A type conversion yields the value of an expression in a new type. Conversion can be performed only on scalar types, i. e., arithmetic types and pointers.

A type conversion always conserves the original value, if the new type is capable of representing it. Floating-point numbers may be rounded on conversion from `double` to `float`, for example.

Type conversions can be implicit i. e., performed by the compiler automatically or explicit, through the use of the cast operator. It is considered good programming style to use the cast operator whenever type conversions are necessary. This makes the type conversion explicit, and avoids compiler warnings.

### 1.6.1 Integer Promotion

Operands of the types `_Bool`, `char`, `unsigned char`, `short`, and `unsigned short`, as well as bit-fields, can be used in expressions wherever operands of type `int` or `unsigned int` are permissible. In such cases, integer promotion is performed on the operands: they are automatically converted to `int` or `unsigned int`. Such operands are converted to `unsigned int` only if the type `int` cannot represent all values of the original type.

Thus C always "expects" values that have at least type `int`. If `c` is a variable of type `char`, then its value in the expression:

```
c + '0'
```

is promoted to `int` before the addition takes place.

### 1.6.2 Usual Arithmetic Conversions

The operands of a binary operator may have different arithmetic types. In this case, the usual arithmetic conversions are implicitly performed to cast their values in a common type. However, the usual arithmetic conversions are not performed for the assignment operators, nor for the logical operators `&&` and `||`.

If operands still have different types after integer promotion, they are converted to the type that appears highest in the hierarchy shown in [Figure 1-4](#). The result of the operation also has this type.

**Figure 1-4. Arithmetic type promotion hierarchy**

When one complex floating type is converted to another, both the type of the real part and the type of the imaginary part are converted according to the rules applicable to the corresponding real floating types.

### **1.6.3 Type Conversions in Assignments and Pointers**

A simple assignment may also involve different arithmetic types. In this case, the value of the right operand is always converted to the type of the left operand.

In a compound assignment, the usual arithmetic conversions are performed for the arithmetic operation. Then any further type conversion takes place as for a simple assignment.

A pointer to `void` can be converted to any other object pointer. An object pointer can also be converted into a pointer to `void`. The address it designates its value remains unchanged.

## 1.7 Statements

A statement specifies an action to be performed, such as an arithmetic operation or a function call. Many statements serve to control the flow of a program by defining loops and branches. Statements are processed one after another in sequence, except where such control statements result in jumps.

Every statement that is not a block is terminated by a semicolon.

### 1.7.1 Block and Expression Statements

A block, also called a compound statement, groups a number of statements together into one statement. A block can also contain declarations.

The syntax for a block is:

```
{[list of declarations][list of statements]}
```

Here is an example of a block:

```
{ int i = 0;          /* Declarations */

  static long a;

  extern long max;

  ++a;              /* Statements */

  if( a >= max)

  { . . . } /* A nested block */

  . . .

}
```

The declarations in a block normally precede the statements. However, ANSI C99 permits free placement of declarations.

New blocks can occur anywhere within a function block. Usually a block is formed wherever the syntax calls for a statement, but the program requires several statements. This is the case, for example, when more than one statement is to be repeated in a loop.

An expression statement is an expression followed by a semicolon. The syntax is:

```
[expression] ;
```

Here is an example of an expression statement:

```
y = x;          // Assignment
```

The expression an assignment or function call, for example is evaluated for its side effects. The type and value of the expression are discarded.

A statement consisting only of a semicolon is called an empty statement, and does not perform any operation.

For example:

```
for ( i = 0; str[i] != '\0'; ++i )
    ; // Empty statement
```

### 1.7.2 Jumps

The following statements can be used to control the program flow:

- Selection statements: `if ... else` or `switch`
- Loops: `while`, `do ... while` or `for`
- Unconditional jumps: `goto`, `continue`, `break` or `return`

#### *if ... else*

---

The `if` statement creates a conditional jump.

#### Syntax:

```
if (expression) statement1 [else statement2]
```

The *expression* must have a scalar type. First, the `if` statement's controlling expression is evaluated. If the result is not equal to 0 in other words, if the expression yields "true" then *statement1* is executed. Otherwise, if `else` is present, *statement2* is executed.

#### Example:

```
if (x > y) max = x; // Assign the greater of x and y to
else      max = y; // the variable max.
```

The use of `else` is optional. If the value of the controlling expression is 0, or "false", and `else` is omitted, then the program execution continues with the next statement.

If several `if` statements are nested, then an `else` clause always belongs to the last `if` (in the given block nesting level) that does not yet have an `else` clause. An `else` can be assigned to a different `if` by creating explicit blocks.

#### Example:

```
if ( n > 0
{ if ( n % 2 == 0
    puts("n is positive and even");
}
else // Belongs to first if
    puts("n is negative or zero");
```

## *switch*

---

In a `switch` statement, the value of the `switch` expression is compared to the constants associated with `case` labels. If the expression evaluates to the constant associated with a `case` label, program execution continues at the matching label. If no matching label is present, program execution branches to the default label if present; otherwise execution continues with the statement following the `switch` statement.

### Syntax:

```
switch ( expression ) statement
```

The *expression* is an integer expression and *statement* is a block statement with `case` labels and at most one default label. Every `case` label has the form `case const :`, where *const* is a constant integer expression. All `case` constants must be different from one another.

### Example:

```
switch( command )           // Query a command obtained
{
    // by user input in a menu,
    // for example.

    case 'a':

    case 'A': action1();     // Carry out action 1,
        break;             // then quit the switch.

    case 'b':

    case 'B': action2();     // Carry out action 2,
        break;             // then quit the switch.

    default: putchar('\a'); // On any other "command":
                        // alert.
}
}
```

After the jump from the `switch` to a label, program execution continues sequentially, regardless of other labels. The `break` statement can be used to exit the `switch` block at any time. A `break` is thus necessary if the statements following other `case` labels are not to be executed.

Integer promotion is applied to the `switch` expression. The `case` constants are then converted to the resulting type of the `switch` expression.

### 1.7.3 Loops

A loop consists of a statement or block, called the loop body, that is executed several times, depending on a given condition. C offers three statements to construct loops: `while`, `do ... while`, and `for`.

In each of these loop statements, the number of loop iterations performed is determined by a controlling expression. This is an expression of a scalar type, i. e., an arithmetic expression or a pointer. The expression is interpreted as "true" if its value is not equal to 0; otherwise it is considered "false".

Syntactically, the loop body consists of one statement. If several statements are required, they are grouped in a block.

### *while*

---

The `while` statement is a "top-driven" loop: first the loop condition (i. e., the controlling expression) is evaluated. If it yields "true", the loop body is executed, and then the controlling expression is evaluated again. If it is false, program execution continues with the statement following the loop body.

#### **Syntax:**

```
while ( expression ) statement
```

#### **Example:**

```
s = str;           // Let the char pointer s
while( *s != '\0' ) // point to the end of str
    ++s;
```

### *do ... while*

---

The `do ... while` statement is a "bottom-driven" loop: first the body of the loop is executed, then the controlling expression is evaluated. This is repeated until the controlling expression is "false", or 0.

The key difference from a `while` statement is that a `do ... while` loop body is always executed at least once. A `while` loop may not execute at all, because its expression could be false to begin with.

#### **Syntax:**

```
do statement while ( expression ) ;
```

#### **Example:**

```
i = 0;
do           // Copy the string str1
    str2[i] = str1[i]; // to string str2
while ( str1[i++] != '\0' );
```

### *for*

---

A typical `for` loop uses a control variable and performs the following actions on it:

1. Initialization (once before beginning the loop)
2. Tests the controlling expression
3. Makes adjustments (such as incrementation) at the end of each loop iteration



The three expressions in the head of the `for` loop define these three actions.

### Syntax:

```
for ([expression1]; [expression2]; [expression3]
    statement
```

*expression1* and *expression3* can be any expressions. *Expression2* is the controlling expression, and hence must have a scalar type. Any of these expressions can be omitted. If *expression2* is omitted, the loop body is executed unconditionally. In ANSI C99, *expression1* may also be a declaration. The scope of the variable declared is then limited to the `for` loop.

### Example:

```
for (int i = DELAY; i > 0; --i)    // Wait a little
    ;
```

Except for the scope of the variable `i`, this `for` loop is equivalent to the following `while` loop:

```
int i = DELAY; // Initialize
while( i > 0)  // Test the controlling expression
    --i; // Adjust
```

## 1.7.4 Unconditional Jumps

### *goto*

---

The `goto` statement jumps to any point within a function. The destination of the jump is specified by the name of a label.

### Syntax:

```
goto label_name;
```

A label is a name followed by a colon that appears before any statement.

### Example:

```
for ( ... )          // Jump out of
    for ( ... )      // nested loops.
        if ( error
            goto handle_error;
    ...
handle_error:        // Error handling here
    ...
```

The only restriction is that the `goto` statement and the label must be contained in the same function. Nonetheless, the `goto` statement should never be used to jump into a block from outside it.

### *continue*

---

The `continue` statement can only be used within the body of a loop. It jumps over the remainder of the loop body. Thus in a `while` or `do ... while` loop, it jumps to the next test of the controlling expression, and in a `for` loop it jumps to the evaluation of the per-iteration adjustment expression.

#### **Syntax:**

```
continue;
```

#### **Example:**

```
for (i = -10; i < 10; ++i
{ ...
    if (i == 0) continue;    // Skip the value 0
    ...
}
```

### *break*

---

The `break` statement jumps immediately to the statement after the end of a loop or `switch` statement. This provides a way to end execution of a loop at any point in the loop body.

#### **Syntax:**

```
break;
```

#### **Example:**

```
while (1
{ ...
    if (command == ESC) break;    // Exit the loop
    ...
}
```

### *return*

---

The `return` statement ends the execution of the current function and returns control to the caller. The value of the expression in the `return` statement is returned to the caller as the return value of the function.

**Syntax:**

```
return expression;
```

**Example:**

```
int max( int a, int b )    // The maximum of a and b
{ return (a>b ? a : b); }
```

Any number of `return` statements can appear in a function.

The value of the `return` expression is converted to the type of the function if necessary.

The expression in the `return` statement can be omitted. This only makes sense in functions of type `void`, however in which case the entire `return` statement can also be omitted. Then the function returns control to the caller at the end of the function block.



## 1.8 Declarations

A declaration determines the interpretation and properties of one or more identifiers. A declaration that allocates storage space for an object or a function is a definition. In C, an object is a data storage region that contains constant or variable values. The term "object" is thus somewhat more general than the term "variable."

In the source file, declarations can appear at the beginning of a block, such as a function block, or outside of all functions. Declarations that do not allocate storage space, such as function prototypes or type definitions, are normally placed in a header file.

ANSI C99 allows declarations and statements to appear in any order within a block.

### 1.8.1 General Syntax and Examples

The general syntax of a declaration is as follows:

```
[storage class] type D1 [, D2, ...];

storage class
```

One of the storage class specifiers `extern`, `static`, `auto`, or `register`.

`type`

A basic type, or one of the following type specifiers: `void`, `enum type` (enumeration), `struct` or `union type`, or `typedef name`.

`type` may also contain type qualifiers, such as `const`.

`D1 [, D2, ...]`

A list of declarators. A declarator contains at least one identifier, such as a variable name.

Some examples are:

```
char letter;

int i, j, k;

static double rate, price;

extern char flag;
```

Variables can be initialized that is, assigned an initial value in the declaration. Variable and function declarations are described in detail in the sections that follow.

### 1.8.2 Complex Declarations

If a declarator contains only one identifier, with or without an initialization, the declaration is called a simple declaration. In a complex declaration, the declarator also contains additional type information. This is necessary in declarations of pointers, arrays, and functions. Such declarations use the three operators, shown in [Table 1-17](#).

<b>Table 1-17. Operators for complex declarations</b>	
<b>Operator</b>	<b>Meaning</b>
*	Pointer to
[ ]	Array of element type
( )	Function returning value of type

The operators in [Table 1-17](#) have the same precedence in declarations as in expressions. Parentheses can also be used to group operands.

Complex declarators are always interpreted beginning with the identifier being declared. Then the following steps are repeated until all operators are resolved:

1. Any pair of parentheses ( ) or square brackets [ ] appearing to the right is interpreted.
2. If there are none, then any asterisk appearing to the left is interpreted.

For example:

```
char *strptr[100];
```

This declaration identifies `strptr` as an array. The array's 100 elements are pointers to `char`.

## 1.9 Variables

Every variable must be declared before it can be used. The declaration determines the variable's type, its storage class, and possibly its initial value. The type of a variable determines how much space it occupies in storage and how the bit pattern it stores is interpreted. For example:

```
float dollars = 2.5F;    // a variable of type float
```

The variable `dollars` designates a region in memory with a size of 4 bytes. The contents of these four bytes are interpreted as a floating-point number, and initialized with the value 2.5.

### 1.9.1 Storage Classes

The storage class of a variable determines its scope, its storage duration, and its linkage. The scope can be either block or file (see [Section 1.2.4](#), earlier in this book). Variables also have one of two storage durations:

#### *Static storage duration*

The variable is generated and initialized once, before the program begins. It exists continuously throughout the execution of the program.

#### *Automatic storage duration*

The variable is generated anew each time the program flow enters the block in which it is defined. When the block is terminated, the memory occupied by the variable is freed.

The storage class of a variable is determined by the position of its declaration in the source file and by the storage class specifier, if any. A declaration may contain no more than one storage class specifier. [Table 1-18](#) lists the valid storage class specifiers.

Specifier	Meaning
<code>auto</code>	Variables declared with the storage class specifier <code>auto</code> have automatic storage duration. The specifier <code>auto</code> is applicable only to variables that are declared within a function. Because the automatic storage class is the default for such variables, the specifier <code>auto</code> is rarely used.
<code>register</code>	The storage class specifier <code>register</code> instructs the compiler to store the variable in a CPU register if possible. As a result, the address operator ( <code>&amp;</code> ) cannot be used with a <code>register</code> variable. In all other respects, however, <code>register</code> variables are treated the same as <code>auto</code> variables.
<code>static</code>	Variables declared as <code>static</code> always have static storage duration. The storage class specifier <code>static</code> is used to declare static variables with a limited scope.
<code>extern</code>	The specifier <code>extern</code> is used to declare variables with static storage duration that can be used throughout the program.

[Table 1-19](#) illustrates the possible storage classes and their effect on the scope and the storage duration of variables.

Position of the declaration	Storage class specifier	Scope	Storage duration
Outside all functions	<code>none</code> , <code>extern</code> , <code>static</code>	File	Static
Within a function	<code>none</code> , <code>auto</code> , <code>register</code>	Block	Automatic
Within a function	<code>extern</code> , <code>static</code>	Block	Static

## 1.9.2 Initialization

Variables can be initialized (assigned an initial value) in their declaration. The initializer consists of an equal sign followed by a constant expression. Some examples are:

```
int index = 0, max = 99, *intptr = NULL;
```

```
static char message[20] = "Example!";
```

Variables are not initialized in declarations that do not cause an object to be created, such as function prototypes and declarations that refer to external variable definitions.

Every initialization is subject to the following rules:

1. A variable declaration with an initializer is always a definition. This means that storage is allocated for the variable.
2. A variable with static storage duration can only be initialized with a value that can be calculated at the time of compiling. Hence the initial value must be a constant expression.
3. For declarations without an initializer: variables with static storage duration are implicitly initialized with NULL (all bytes have the value 0); the initial value of all other variables is undefined!

The type conversion rules for simple assignments are also applied on initialization.



## 1.10 Derived Types

A programmer can also define new types, including enumerated types and derived types. Derived types include pointers, arrays, structures, and unions.

The basic types and the enumerated types are collectively called the arithmetic types. The arithmetic types and the pointer types in turn make up the scalar types. The array and structure types are known collectively as the aggregate types.

### 1.10.1 Enumeration Types

Enumeration types are used to define variables that can only be assigned certain discrete integer values throughout the program. The possible values and names for them are defined in an enumeration. The type specifier begins with the keyword `enum`; for example:

```
enum toggle { OFF, ON, NO = 0, YES };
```

The list of enumerators inside the braces defines the new enumeration type. The identifier `toggle` is the tag of this enumeration. This enumeration defines the identifiers in the list (`OFF`, `ON`, `NO`, and `YES`) as constants with type `int`.

The value of each identifier in the list may be determined explicitly, as in `NO = 0` in the example above. Identifiers for which no explicit value is specified are assigned a value automatically based on their position in the list, as follows: An enumerator without an explicit value has the value 0 if it is the first in the list; otherwise its value is 1 greater than that of the preceding enumerator. Thus in the example above, the constants `OFF` and `NO` have the value 0, while `ON` and `YES` have the value 1.

Once an enumeration type has been defined, variables with the type can be declared within its scope. For example:

```
enum toggle t1, t2 = ON;
```

This declaration defines `t1` and `t2` as variables with type `enum toggle`, and also initializes `t2` with the value `ON`, or 1.

Following is an enumeration without a tag:

```
enum { black, blue, green, cyan, red, magenta, white };
```

As this example illustrates, the definition of an enumeration does not necessarily include a tag. In this case, the enumeration type cannot be used to declare variables, but the enumeration constants can be used to designate a set of discrete values. This technique can be used as an alternative to the `#define` directive. The constants in the example above have the following values: `black = 0`, `blue = 1`, ..., `white = 6`.

Variables with an enumeration type can generally be used in a C program in comparative or arithmetic expressions, for example as ordinary `int` variables.

### 1.10.2 Structures, Unions, and Bit-Fields

Different data items that make up a logical unit are generally grouped together in a record. The structure of a record i. e., the names, types, and order of its components is represented in C by a structure type.

The components of a record are called the members of the structure. Each member can be of any type. The type specifier begins with the keyword `struct`; for example:

```

struct article    {    char    name[40];

                    int     quantity;

                    double price;

                    };

```

This example declares a structure type with three members. The identifier `article` is the tag of the structure, and `name`, `quantity`, and `price` are the names of its members. Within the scope of a structure declaration, variables can be declared with the structure type:

```

struct article  a1, a2, *pArticle, arrArticle[100];

```

`a1` and `a2` are variables of type `struct article`, and `pArticle` is a pointer to an object of type `struct article`. The array `arrArticle` has 100 elements of type `struct article`.

Structure variables can also be declared simultaneously with the structure type definition. If no further reference is made to a structure type, then its declaration need not include a tag. For example:

```

struct {unsigned char character, attribute;}

xchar, xstr[100];

```

The structure type defined here has the members `character` and `attribute`, both of which have the type `unsigned char`. The variable `xchar` and the elements of the array `xstr` have the type of the new tagless structure.

The members of a structure variable are located in memory in order of their declaration within the structure. The address of the first member is identical to the address of the entire structure. The addresses of the other members and the total storage space required by the structure may vary, however, since the compiler can insert unnamed gaps between the individual members for the sake of optimization. For this reason the storage size of a structure should always be obtained using the `sizeof` operator.

The macro `offsetof`, defined in the header file `stddef.h`, can be used to obtain the location of a member within a structure. The expression:

```

offsetof( structure_type, member )

```

has the type `size_t`, and yields the distance in bytes between the beginning of the structure and `member`.

Structure variables can be initialized by an initialization list containing a value for each member:

```

struct article flower =      // Declare and initialize the
{ "rose", 7, 2.49 };        // structure variable flower

```

A structure variable with automatic storage duration can also be initialized with the value of an existing structure variable. The assignment operator can be used on variables of the same structure type. For example:

```

arrArticle[0] = flower;

```

This operation copies the value of each member of `flower` to the corresponding member of `arrArticle[0]`.

A specific structure member can be accessed by means of the dot operator, which has a structure variable and

the name of a member as its operands:

```
flower.name    // The array 'name'

flower.price   // The double variable 'price'
```

Efficient data handling often requires the use of pointers to structures. The arrow operator provides convenient access to a member of a structure identified by a pointer. The left operand of the arrow operator is a pointer to a structure. Some examples follow:

```
pArticle = &flower;    // Let pArticle point to flower

pArticle->quantity     // Access members of flower

pArticle->price        // using the pointer pArticle
```

A structure cannot have itself as a member. Recursive structures can be defined, however, by means of members that are pointers to the structure's own type. Such recursive structures are used to implement linked lists and binary trees, for example.

### 1.10.2.1 Unions

A union permits references to the same location in memory to have different types. The declaration of a union differs from that of a structure only in the keyword `union`:

```
union number {long n; double x};
```

This declaration creates a new union type with the tag `number` and the two members `n` and `x`.

Unlike the members of a structure, all the members of a union begin at the same address! Hence the size of a union is that of its largest member. According to the example above, a variable of type `union number` occupies 8 bytes.

Once a union type has been defined, variables of that type can be declared. Thus:

```
union number nx[10];
```

declares an array `nx` with ten elements of type `union number`. At any given time, each such element contains either a `long` or a `double` value. The members of a union can be accessed in the same ways as structure members. For example:

```
nx[0].x = 1.234;    // Assign a double value to nx[0]
```

Like structures, union variables are initialized by an initializer list. For a union, however, the list contains only one initializer. If no union member is explicitly designated, the first member named in the union type declaration is initialized:

```
union number length = { 100L };
```

After this declaration, `length.n` has the value 100.

### 1.10.2.2 Bit-fields

Members of structures or unions can also be bit-fields. Bit-fields are integers which consist of a defined number of bits. The declaration of a bit-field has the form:

```
type    [identifier] : width;
```

where *type* is either `unsigned int` or `signed int`, *identifier* is the optional name of the bit-field, and *width* is the number of bits occupied by the bit-field in memory.

A bit-field is normally stored in a machine word that is a storage unit of length `sizeof(int)`. The width of a bit-field cannot be greater than that of a machine word. If a smaller bit-field leaves sufficient room, subsequent bit-fields may be packed into the same storage unit. A bit-field with width zero is a special case, and indicates that the subsequent bit-field is to be stored in a new storage unit regardless of whether there's room in the current storage unit. Here's an example of a structure made up of bit fields:

```
struct    {    unsigned int  b0_2  : 3;

           signed   int    b3_7  : 5;

           unsigned int      : 7;

           unsigned int  b15   : 1;

        } var;
```

The structure variable `var` occupies at least two bytes, or 16 bits. It is divided into four bit-fields: `var.b0_2` occupies the lowest three bits, `var.b3_7` occupies the next five bits, and `var.b15` occupies the highest bit. The third member has no name, and only serves to define a gap of seven bits, as shown in [Figure 1-5](#).

**Figure 1-5. Bit assignments in the example struct**

Bit-fields with the type `unsigned int` are interpreted as unsigned. Bit-fields of type `signed int` can have negative values in two's-complement encoding. In the example above, `var.b0_2` can hold values in the range from 0 to 7, and `var.b3_7` can take values in the range from -16 to 15.

Bit-fields also differ from ordinary integer variables in the following ways:

- The address operator (`&`) cannot be applied to bit-fields (but it can be applied to a structure variable that contains bit-fields).
- Some uses of bit-fields may lead to portability problems, since the interpretation of the bits within a word can differ from one machine to another.

### 1.10.3 Arrays

Arrays are used to manage large numbers of objects of the same type. Arrays in C can have elements of any type except a function type. The definition of an array specifies the array name, the type, and, optionally, the number of array elements. For example:

```
char line[81];
```

The array `line` consists of 81 elements with the type `char`. The variable `line` itself has the derived type "array of `char`" (or "char array").

In a statically defined array, the number of array elements (i. e., the length of the array) must be a constant expression. In ANSI C99, any integer expression with a positive value can be used to specify the length of a non-static array with block scope. This is also referred to as a variable-length array.

An array always occupies a continuous location in memory. The size of an array is thus the number of elements times the size of the element type:

```
sizeof( line ) == 81 * sizeof( char ) == 81 bytes
```

The individual array elements can be accessed using an index. In C, the first element of an array has the index 0. Thus the 81 elements of the array `line` are `line[0]`, `line[1]`, ..., `line[80]`.

Any integer expression can be used as an index. It is up to the programmer to ensure that the value of the index lies within the valid range for the given array.

A string is a sequence of consecutive elements of type `char` that ends with the null character, `'\0'`. The length of the string is the number of characters excluding the string terminator `'\0'`. A string is stored in a `char` array, which must be at least one byte longer than the string.

A wide string consists of characters of type `wchar_t` and is terminated by the wide null character, `L'\0'`. The length of a wide string is the number of `wchar_t` characters in the string, excluding the wide string terminator. For example:

```
wchar_t wstr[20] = L"Mister Fang"; // length: 11
                                     // wide characters
```

A multi-dimensional array in C is an array whose elements are themselves arrays. For example:

```
short point[50][20][10];
```

The three-dimensional array `point` consists of 50 elements that are two-dimensional arrays. The declaration above defines a total of  $50 \times 20 \times 10 = 10,000$  elements of type `short`, each of which is uniquely identified by three indices:

```
point[0][0][9] = 7; // Assign the value 7 to the "point"
                    // with the "coordinates" (0,0,9).
```

Two-dimensional arrays, also called matrices, are the most common multi-dimensional arrays. The elements of a matrix can be thought of as being arranged in rows (first index) and columns (second index).

Arrays in C are closely related to pointers: in almost all expressions, the name of an array is converted to a pointer to the first element of the array. The `sizeof` operator is an exception, however: if its operand is an array, it yields the number of bytes occupied, not by a pointer, but by the array itself. After the declaration:

```
char msg[] = "Hello, world!";
```

the array name `msg` points to the character `'H'`. In other words, `msg` is equivalent to `&msg[0]`. Thus in a statement such as:

```
puts( msg ); // Print string to display
```

only the address of the beginning of the string is passed to the function `puts()`. Internally, the function processes the characters in the string until it encounters the terminator character `'\0'`.

An array is initialized by an initialization list containing a constant initial value for each of the individual array elements:

```
double x[3] = { 0.0, 0.5, 1.0 };
```

After this definition, `x[0]` has the value `0.0`, `x[1]` the value `0.5`, and `x[2]` the value `1.0`. If the length of the array is greater than the number of values in the list, then all remaining array elements are initialized with `0`. If the initialization list is longer than the array, the redundant values are ignored.

The length of the array need not be explicitly specified, however:

```
double x[] = { 0.0, 0.5, 1.0 };
```

In this definition, the length of the array is determined by the number of values in the initialization list.

A `char` array can be initialized by a string literal:

```
char str[] = "abc";
```

This definition allocates and initializes an array of four bytes, and is equivalent to:

```
char str[] = { 'a', 'b', 'c', '\0' } ;
```

In the initialization of a multi-dimensional array , the magnitude of all dimensions except the first must be specified. In the case of a two-dimensional array, for example, the number of rows can be omitted. For example:

```
char error_msg[][40] = { "Error opening file!",
                        "Error reading file!",
                        "Error writing to file!"};
```

The array `error_msg` consists of three rows, each of which contains a string.

### 1.10.4 Pointers

A pointer represents the address and type of a variable or a function. In other words, for a variable `x`, `&x` is a pointer to `x`.

A pointer refers to a location in memory, and its type indicates how the data at this location is to be interpreted. Thus the pointer types are called pointer to `char`, pointer to `int`, and so on, or for short, `char pointer`, `int pointer`, etc.

Array names and expressions such as `&x` are address constants or constant pointers, and cannot be changed. Pointer variables, on the other hand, store the address of the object to which they refer, which address you may change. A pointer variable is declared by an asterisk (\*) prefixed to the identifier. For example:

```
float x, y, *pFloat;

pFloat = &x;    // Let pFloat point to x.
```

After this declaration, `x` and `y` are variables of type `float`, and `pFloat` is a variable of type `float *` (pronounced "pointer to `float`"). After the assignment operation, the value of `pFloat` is the address of `x`.

The indirection operator `*` is used to access data by means of pointers. If `ptr` is a pointer, for example, then `*ptr` is the object to which `ptr` points. For example:

```
y = *pFloat;    // equivalent to y = x;
```

As long as `pFloat` points to `x`, the expression `*pFloat` can be used in place of the variable `x`. Of course, the indirection operator `*` must only be used with a pointer which contains a valid address.

A pointer with the value 0 is called a null pointer. Null pointers have a special significance in C. Because all objects and functions have non-zero addresses, a null pointer always represents an invalid address. Functions that return a pointer can therefore return a null pointer to indicate a failure condition. The constant `NULL` is defined in `stdio.h`, `stddef.h`, and other header files as a null pointer (i.e., a pointer with a value of zero).

All object pointer variables have the same storage size, regardless of their type. Two or four bytes are usually required to store an address.

Parentheses are sometimes necessary in complex pointer declarations. For example:

```
long arr[10];      // Array arr with ten elements

long (*pArr)[10]; // Pointer pArr to an array
                  // of ten long elements
```

Without the parentheses, the declaration `long *pArr[10];` would create an array of ten pointers to `long`. Parentheses are always necessary in order to declare pointers to arrays or functions.

#### 1.10.4.1 Pointer arithmetic

Two arithmetic operations can be performed on pointers:

- An integer can be added to or subtracted from a pointer.
- One pointer can be subtracted from another of the same type.

These operations are generally useful only when the pointers point to elements of the same array. In arithmetic operations on pointers, the size of the objects pointed to is automatically taken into account. For example:

```
int a[3] = { 0, 10, 20 }; // An array with three elements

int *pa = a;              // Let pa point to a[0]
```

Since `pa` points to `a[0]`, the expression `pa + 1` yields a pointer to the next array element, `a[1]`, which is `sizeof( int )` bytes away in memory. Furthermore, because the array name `a` likewise points to `a[0]`, `a+1` also yields a pointer to `a[1]`.

Thus for any integer `i`, the following expressions are equivalent:

```
&a[i] , a+i , pa+i // pointers to the i-th array element
```

By the same token, the following expressions are also equivalent:

```
a[i] , *(a+i) , *(pa+i) , pa[i] // the i-th array element
```

Thus a pointer can be treated as an array name: `pa[i]` and `*(pa+i)` are equivalent. Unlike the array name, however, `pa` is a variable, not an address constant. For example:

```
pa = a+2;          // Let pa point to a[2]

int n = pa-a;     // n = 2
```

The subtraction of two pointers yields the number of array elements between the pointers. For example, the expression `pa-a` yields the integer value 2 if `pa` points to `a[2]`. This value has the integer type `ptrdiff_t`, which is defined (usually as `int`) in *stddef.h*.

The addition of two pointers is not a useful operation, and hence is not permitted. It is possible, however, to compare two pointers of the same type, as the following example illustrates:

```
// Formatted output of the elements of an array

#define LEN 10

float numbers[LEN], *pn;

    . . .

for ( pn = numbers; pn < numbers+LEN; ++pn )

    printf( "%16.4f", *pn );
```

#### 1.10.4.2 Function pointers

The name of a function is a constant pointer to the function. Its value is the address of the function's machine code in memory. For example, the name `puts` is a pointer to the function `puts()`, which outputs a string:

```
#include <stdio.h>          // Include declaration of puts()

int (*pFunc)(const char*); // Pointer to a function
    . . .                  // whose parameter is a string
                            // and whose return value
                            // has type int

pFunc = puts;              // Let pFunc point to puts()

(*pFunc)("Any questions?"); // Call puts() using the
                            // pointer
```

Note that the first pair of parentheses is required in the declaration of the variable `pFunc`. Without it, `int *pFunc( const char* );` would declare `pFunc` as a function that returns a pointer to `int`.

#### 1.10.5 Type Qualifiers and Type Definitions

The type of an object can be qualified by the keywords `const` and `volatile` in the declaration.

The type qualifier `const` indicates that the program can no longer modify an object after its declaration. For example:

```
const double pi = 3.1415927;
```

After this declaration, a statement that modifies the object `pi`, such as `pi = pi+1;`, is illegal and results in a compiler error.



The type qualifier `volatile` indicates variables that can be modified by processes other than the present program. Based on this information, the compiler may refrain from optimizing access to the variable.

The type qualifiers `volatile` and `const` can also be combined:

```
extern const volatile unsigned clock_ticks;
```

After this declaration, `clock_ticks` cannot be modified by the program, but may be modified by another process, such as a hardware clock interrupt handler.

Type qualifiers are generally prefixed to the type specifier. In pointer declarations, however, type qualifiers may be applied both to the pointer itself and to the object it addresses. If the type qualifier is to be applied to the pointer itself, it must be placed immediately before the identifier.

The most common example of such a declaration is the "pointer to a constant object." Such a pointer may point to a variable, but cannot be used to modify it. For this reason, such pointers are also called "read-only" pointers. For example:

```
int var1 = 1, var2 = 2, *ptr;

const int cArr[2];

const int *ptrToConst; // "Read-only pointer" to int
```

The following statements are now permitted:

```
ptrToConst = &cArr[0]; // Change the value of
++ptrToConst; // the pointer variable

ptrToConst = &var1;

var2 = *ptrToConst; // "Read" access
```

The following statements are not permitted:

```
ptr = ptrToConst; // "Read-only" cannot be copied to
// "read-write"

*ptrToConst = 5; // "Write" access not allowed!
```

### ***restrict***

---

ANSI C99 introduces the type qualifier `restrict`, which is only applicable to pointers. If a pointer declared with the `restrict` qualifier points to an object that is to be modified, then the object can only be accessed using that pointer. This information allows the compiler to generate optimized machine code. It is up to the programmer to ensure that the restriction is respected!

### **Example:**

```
void *memcpy( void * restrict dest, // destination
              const void* restrict src, // source
              size_t n );
```

In using the standard function `memcpy()` to copy a memory block of `n` bytes, the programmer must ensure that the source and destination blocks do not overlap.

## *typedef*

---

The keyword `typedef` is used to give a type a new name.

### **Examples:**

```
typedef unsigned char UCHAR;
```

```
typedef struct { double x, y } POINT;
```

After these type definitions, the identifier `UCHAR` can be used as an abbreviation for the type `unsigned char`, and the identifier `POINT` can be used to specify the given structure type.

### **Examples:**

```
UCHAR c1, c2, tab[100];
```

```
POINT point, *pPoint;
```

In a `typedef` declaration, the identifier is declared as the new type name. The same declaration without the `typedef` keyword would declare a variable and not a type name.

## 1.11 Functions

Every C program contains at least the function `main()`, which is the first function executed when the program starts. All other functions are subroutines.

The definition of a function lists the statements it executes. Before a function can be called in a given translation unit, it must be declared. A function definition also serves as a declaration of the function. The declaration of a function informs the compiler of its return type. For example:

```
extern double pow();
```

Here `pow()` is declared as a function that returns a value with type `double`. Because function names are external names by default, the storage class specifier `extern` can also be omitted.

In ANSI C99, implicit function declarations are no longer permitted. Formerly, calls to undeclared functions were allowed, and the compiler implicitly assumed in such cases that the function returned a value of type `int`.

The declaration of the function `pow()` in the example above contains no information about the number and type of the function's parameters. Hence the compiler has no way of testing whether the arguments supplied in a given function call are compatible with the function's parameters. This missing information is supplied by a function prototype.

### 1.11.1 Function Prototypes

A function prototype is a declaration that indicates the types of the function's parameters as well as its return value. For example:

```
double pow( double, double );    // prototype of pow()
```

This prototype informs the compiler that the function `pow()` expects two arguments of type `double`, and returns a result of type `double`. Each parameter type may be followed by a parameter name. This name has no more significance than a comment, however, since its scope is limited to the function prototype itself. For example:

```
double pow( double base, double exponent );
```

Functions that do not return any result are declared with the type specifier `void`. For example:

```
void func1( char *str ); // func1 expects one string
                        // argument and has no return
                        // value.
```

Functions with no parameters are declared with the type specifier `void` in the parameter list:

```
int func2( void );    // func2 takes no arguments and
                    // returns a value with type int.
```

Function declarations should always be in prototype form. All standard C functions are declared in one (or more) of the standard header files. For example, `math.h` contains the prototypes of the mathematical functions, such as `sin()`, `cos()`, `pow()`, etc., while `stdio.h` contains the prototypes of the standard input and output functions.

### 1.11.2 Function Definitions

The general form of a function definition is:

```
[storage_class] [type] name(
[parameter_list] ) // function declarator
{
    /* declarations, statements */ // function body
}

storage_class
```

One of the storage class specifiers `extern` or `static`. Because `extern` is the default storage class for functions, most function definitions do not include a storage class specifier.

*type*

The type of the function's return value. This can be either `void` or any other type, except an array.

*name*

The name of the function.

*parameter\_list*

The declarations of the function's parameters. If the function has no parameters, the list is empty.

Here is one example of a function definition:

```
long sum( int arr[], int len )// Find the sum of the first
{
    // len elements of the array arr

    int i;

    long result = 0;

    for( i = 0; i < len; ++i )

        result += (long)arr[i];

    return result;
}
```

Because by default function names are external names, the functions of a program can be distributed among different source files, and can appear in any sequence within a source file.

Functions that are declared as `static`, however, can only be called in the same translation unit in which they are defined. But it is not possible to define functions with block scope in other words, a function definition cannot appear within another function.

The parameters of a function are ordinary variables whose scope is limited to the function. When the function is called, they are initialized with the values of the arguments received from the caller.

The statements in the function body define what the function does. When the flow of execution reaches a `return` statement or the end of the function body, control returns to the calling function.

A function that calls itself, directly or indirectly, is called recursive. C permits the definition of recursive functions, since variables with automatic storage class are created anew generally in stack memory with each function call.

The function declarator shown above is in prototype style. Today's compilers still support the older Kernighan-Ritchie style, however, in which the parameter identifiers and the parameter type declarations are separate. For example:

```
long sum( arr, len ) // Parameter identifier list
int arr[], len;     // Parameter declarations
{ ... }            // Function body
```

In ANSI C99, functions can also be defined as inline. The `inline` function specifier instructs the compiler to optimize the speed of the function call, generally by inserting the function's machine code directly into the calling routine. The `inline` keyword is prefixed to the definition of the function:

```
inline int max( int x, int y )
{ return ( x >= y ? x : y ); }
```

If an inline function contains too many statements, the compiler may ignore the `inline` specifier and generate a normal function call.

An inline function must be defined in the same translation unit in which it is called. In other words, the function body must be visible when the inline "call" is compiled. It is therefore a good idea to define inline functions unlike ordinary functions in a header file.

Inline functions are an alternative to macros with parameters. In translating a macro, the preprocessor simply substitutes text. An inline function, however, behaves like a normal function so that the compiler tests for compatible arguments, for example but without the jump to and from another code location.

### 1.11.3 Function Calls

A function call is an expression whose value and type are those of the function's return value.

The number and the type of the arguments in a function call must agree with the number and type of the parameters in the function definition. Any expression, including constants and arithmetic expressions, may be specified as an argument in a function call. When the function is called, the value of the argument is copied to the corresponding parameter of the function! For example:

```
double x=0.5, y, pow(); // Declaration
y = pow( 1.0 + x, 2.5 ); // Call to pow() yields
                        // the double value (1.0+x)2.5
```

In other words, the arguments are passed to the function by value. The function itself cannot modify the values of the arguments in the calling function: it can only access its local copy of the values.

In order for a function to modify the value of a variable directly, the caller must give the function the address of the variable as an argument. In other words, the variable must be passed to the function by reference. Examples of functions that accept arguments by reference include `scanf()`, `time()`, and all functions that have an array as one of their parameters. For example:

```
double swap( double *px, double *py ) // Exchange values
                                     // of two variables
{ double z = *px; *px = *py; *py = z; }
```

The arguments of a function are subject to implicit type conversion:

- If the function was declared in prototype form (as is usually the case), each argument is converted to the type of the corresponding parameter, as for an assignment.
- If no prototype is present, integer promotion is performed on each integer argument. Arguments of type `float` are converted to `double`.

#### 1.11.4 Functions with Variable Numbers of Arguments

Functions that can be called with a variable number of arguments always expect a fixed number of mandatory arguments at least one is required and a variable number of optional arguments. A well-known example is the function `printf()`: the format string argument is mandatory, while all other arguments are optional. Internally, `printf()` determines the number and type of the other arguments from the information in the format string.

In the function declarator, optional arguments are indicated by three dots (`...`). For example:

```
int printf( char *str, ... ); // Prototype
```

In the function definition, the optional arguments are accessed through an object with the type `va_list`, which contains the argument information. This type is defined in the header file `stdarg.h`, along with the macros `va_start`, `va_arg`, and `va_end`, which are used to manage the arguments.

In order to read the optional arguments, the function must carry out the following steps:

1. Declare an object of type `va_list`. In the following example, this object is named `arglist`.
2. Invoke the macro `va_start` to prepare the `arglist` object to return the first optional argument. The parameters of `va_start` are the `arglist` object and the name of the last mandatory parameter.
3. Invoke the macro `va_arg` with the initialized `arglist` object to obtain each of the optional arguments in sequence. The second parameter of `va_arg` is the type of the optional argument that is being obtained.

After each invocation of the `va_arg` macro, the `arglist` object is prepared to deliver the first optional argument that has not yet been read. The result of `va_arg` has the type specified by the second argument.

4. After reading out the argument list, the function should invoke the `va_end` macro before returning control to the caller. The only parameter of `va_end` is the `arglist` object.

Following is an example of a function, named `max`, that accepts a variable number of arguments:

```
// Determine the maximum of a number of positive integers.
```

```
// Parameters: a variable number of positive values of
// type unsigned int. The last argument must be 0.
// Return value: the maximum of the arguments

#include <stdarg.h>

unsigned int max( unsigned int first, ... )
{
    unsigned int maxarg, arg;

    va_list arglist; // The optional-argument
                     // list object

    va_start( arglist, first ); // Set arglist to deliver
                                // the first optional
                                // argument

    arg = maxarg = first;

    while ( arg != 0 )
    { arg = va_arg( arglist, unsigned ); // Get an argument
      if ( arg > maxarg ) maxarg = arg;
    }

    va_end( arglist ); // Finished reading the
                       // optional arguments

    return maxarg;
}
```





## 1.12 Linkage of Identifiers

An identifier that is declared more than once, whether in different scopes (in different files, for example) or in the same scope, may refer to the same variable or function. Identifiers must be "linked" in this way in order for a variable to be used "globally," across different source files, for example.

Each identifier has either external, internal, or no linkage. These three kinds of linkage have the following significance:

### *External linkage*

An identifier with external linkage represents the same object or function throughout the entire program, i. e., in all source files and libraries belonging to the program. The identifier is made known to the linker.

When a second declaration of the same identifier with external linkage occurs, the linker associates the identifier with the same object or function. A declaration of an existing external object is sometimes called a reference declaration.

### *Internal linkage*

An identifier with internal linkage represents the same object or function within a given translation unit. The linker has no information about identifiers with internal linkage. Thus they remain "internal" to the translation unit.

### *No linkage*

If an identifier has no linkage, then any further declaration using the identifier declares something new, such as a new variable or a new type.

The linkage of an identifier is determined by its storage class; that is, by the position of the declaration and any storage class specifier included in it. Only identifiers of variables and functions can have internal or external linkage. All other identifiers, and identifiers of variables with automatic storage class, have no linkage. [Table 1-20](#) summarizes this information.

<b>Table 1-20. Linkage of identifiers</b>	
<b>Linkage</b>	<b>Identifiers with this linkage</b>
External	Names of variables either declared with the storage class specifier <code>extern</code> , or declared outside of all functions and without a storage class specifier. Names of functions defined without the specifier <code>static</code> .
Internal	Names of functions and variables declared outside of all functions and with the specifier <code>static</code> .
None	All other identifiers, such as function parameters.

The form of external names (identifiers with external linkage) is subject to restrictions, depending on the linker implementation: some linkers only recognize the first eight characters of a name, and do not distinguish between upper- and lower-case letters.



## 1.13 Preprocessing Directives

The C compiler preprocesses every source file before performing the actual translation. The preprocessor removes comments and replaces macros with their definitions.

Every preprocessing directive appears on a line by itself, beginning with the character #. If the directive is long, it can be continued on the next line by inserting a backslash (\) as the last character before the line break.

### *#define*

---

The #define directive is used to define macros.

#### **Syntax:**

```
define name[(parameter_list)] [replacement_text]
```

The preprocessor replaces each occurrence of *name* or *name*(*parameter\_list*) in the subsequent source code with *replacement\_text*.

#### **Examples:**

```
#define BUF_SIZE 512          // Symbolic constant

#define MAX(a,b) ((a) > (b) ? (a) : (b))
```

These directives define the macros `BUF_SIZE` and `MAX`. If the replacement text is a constant expression, the macro is also called a symbolic constant. Macros can also be nested; a macro, once defined, can be used in another macro definition.

In the previous example, the parentheses are necessary in order for the substitution to be performed correctly when `MAX` is used in an expression, or when complex expressions replace the parameters `a` and `b`. For example, the preprocessor replaces the macro invocation:

```
result = 2 * MAX( x, y & 0xFF );
```

with:

```
result = 2 * ( (x) > (y & 0xFF) ? (x) : (y & 0xFF) );
```

### ***The # Operator***

---

In the macro replacement text, the parameters of the macro may be preceded by the operator # (called the hash or stringizing operator). In this case, the preprocessor sets the corresponding argument in quotation marks, thus converting it into a string.

#### **Example:**

```
#define print_int(i) printf( "value " #i " = %d", i )
```

If `x` and `y` are variables with type `int`, then the statement:

```
print_int(x-y);
```

is replaced with:

```
printf( "value \"x-y\" = %d", x-y );
```

Because consecutive string literals are concatenated, this is equivalent to:

```
printf( "value x-y = %d", x-y );
```

### ***The ## Operator***

---

If a macro parameter appears in the replacement text preceded or followed by the operator ## (called the double-hash or token-pasting operator), then the preprocessor concatenates the tokens to the left and right of the operator, ignoring any spaces. If the resulting text also contains a macro name, then macro replacement is performed once again.

#### **Example:**

```
#define show( var, num ) \
    printf( #var #num " = %.1f\n", var ## num )
```

If the float variable `x5` has the value `16.4`, then the macro invocation:

```
show( x, 5 );
```

is replaced with:

```
printf( "x" "5" " = %.1f\n", x5 );
```

```
// Output: x5 = 16.4\n
```

### ***#undef***

---

The `#undef` directive cancels a macro definition. This is necessary when the definition of a macro needs to be changed, or when a function of the same name needs to be called.

#### **Syntax:**

```
#undef name
```

No parameter list needs to be specified, even if the previously defined macro has parameters.

#### **Example:**

```
#include <ctype.h>
#undef toupper
. . .
c = toupper(c); // Call the function toupper()
```

### ***#include***

---

The `#include` directive instructs the preprocessor to insert the contents of a specified file in the program at the point where the `#include` directive appears.

**Syntax:**

```
#include <filename>
```

```
#include "filename"
```

If the filename is enclosed in angle brackets, the preprocessor only searches for it in certain directories. These directories are usually named in the environment variable `INCLUDE`.

If the filename is enclosed in quotation marks, the preprocessor first looks for the file in the current working directory.

The *filename* may contain a directory path. In this case, the file is only looked for in the specified directory.

The files named in include directives are generally "header" files containing declarations and macro definitions for use in several source files, and have names ending in *.h*. Such files may in turn contain further `#include` directives.

In the following example, one file to be included is selected based on the value of a symbolic constant:

```
#include <stdio.h>

#include "project.h"

#if VERSION == 1

    #define MYPROJ_H "version1.h"

#else

    #define MYPROJ_H "version2.h"

#endif

#include MYPROJ_H
```

***#if, #elif, #else, #endif***

---

These directives are used to present source code to the compiler only on certain conditions. In this way a different selection of program statements can be compiled from one build to another. This technique can be used to adapt a single program to a variety of target systems, for example, without requiring modification of the source code.

**Syntax:**

```
#if expression1
```

```
    [text1]
```

```
[#elif expression2
```

```
text2]
```

```
. . .
```

```
[#elif expression(n)
```

```
text(n)]
```

```
[#else
```

```
text(n+1)]
```

```
#endif
```

Each `#if` directive may be followed by any number of `#elif` directives, and at most one `#else` directive. The conditional source code section must be closed by an `#endif` directive.

The preprocessor evaluates *expression1*, *expression2*, etc. in succession. At the first expression whose value is "true", i. e., not equal to 0, the conditional code is processed. If none of the expressions is true, then the `#else` directive is processed, if present.

*expression1*, *expression2*, etc. must be constant integer expressions. The cast operator cannot be used in preprocessing directives.

The conditional text consists of program code, including other preprocessing directives and ordinary C statements. Conditional text that the preprocessor skips over is effectively removed from the program.

### ***The defined operator***

---

The `defined` operator can be used to verify whether a given macro name is currently defined.

#### **Syntax:**

```
defined (name)
```

The operator yields a non-zero value if a valid definition exists for *name*; otherwise it yields the value 0. A macro name defined by a `#define` directive remains defined until it is cancelled by an `#undef` directive. A macro name is considered to be defined even if no replacement text is specified after *name* in the `#define` directive.

The `defined` operator is typically used in `#if` and `#elif` directives:

```
#if defined(VERSION
```

```
...
```

```
#endif
```

Unlike the `#ifdef` and `#ifndef` directives, the `defined` operator yields a value that can be used in a preprocessor expression:

```
#if defined(VERSION) && defined(STATUS
```

```
...
```

```
#endif
```

### ***#ifdef and #ifndef***

---

The `#ifdef` and `#ifndef` directives can be used to make program text directly conditional upon whether a given macro name is defined.

#### **Syntax:**

```
#ifdef name
```

```
#ifndef name
```

The `#ifdef` directive is "true" if *name* is defined, and the `#ifndef` directive is "true" if *name* is not defined. Both require a closing `#endif` directive.

The following two constructions are equivalent:

```
#ifdef VERSION
    ...
#endif

#if defined(VERSION)
    ...
#endif
```

### ***#line***

---

The compiler identifies errors it encounters during compilation by the source filename and the line number in the file. The `#line` directive can be used to change the filename and line numbering in the source file itself.

#### **Syntax:**

```
#line new_number ["filename"]
```

From this location in the file onward, lines are counted starting from *new\_number*. If *filename* is also specified, it becomes the new filename indicated by the compiler in any error messages.

The new filename must be enclosed in quotation marks, and *new\_number* must be an integer constant.

#### **Example:**

```
#line 500 "my_prg.c"
```

The `#line` directive is typically used by program generators in translating other kinds of code into a C program. In this way the C compiler's error messages can be made to refer to the appropriate line and filename in the original source code.

The current effective line number and filename are accessible through the predefined macros `__LINE__` and `__FILE__`.

**Examples:**

```
printf( "Current source line number: %d\n", __LINE__ );
printf ( "Source file: %s\n", __FILE__ );
```

**#pragma**

The #pragma directive is implementation-specific. It can be used to define any preprocessor directives desired for a given compiler.

**Syntax:**

```
#pragma command
```

Any compiler that does not recognize *command* simply ignores the #pragma directive.

**Example:**

```
#pragma pack(1)
```

The Microsoft C compiler interprets this directive as an instruction to align the members of structures on byte boundaries, so that no unnamed gaps occur. (Other pragmas supported by that compiler are `pack(2)` and `pack(4)`, for word and double-word alignment.)

ANSI C99 introduces the standard pragmas `CX_LIMITED_RANGE`, `FENV_ACCESS`, and `FP_CONTRACT`, which are described in the upcoming section [Section 1.18](#).

**Predefined standard macros**

There are eight predefined macros in C, whose names begin and end with two underline characters. They are described in [Table 1-21](#).

<b>Macro</b>	<b>Replacement value</b>
<code>__LINE__</code>	The number of the line (within the given source file) in which the macro <code>__LINE__</code> appears
<code>__FILE__</code>	The name of the source file in which the macro <code>__FILE__</code> appears
<code>__func__</code> (*)	The name of the function in which the macro <code>__func__</code> appears
<code>__DATE__</code>	The date of compilation, in the format "Mmm dd yyyy". Example: "Dec 18 2002"
<code>__TIME__</code>	The time of compilation, in the format "hh:mm:ss"
<code>__STDC__</code>	The integer constant 1 if the compiler conforms to the ANSI standard
<code>__STD_HOSTED__</code> (*)	The integer constant 1 if the current implementation is a "hosted" implementation; otherwise
<code>__STD_VERSION__</code> (*)	The integer constant 199901L if the implementation conforms to C99, the ANSI C standard of January, 1999

ANSI C99 distinguishes between "hosted" and "free-standing" execution environments for C programs. Unlike the normal "hosted" environment, a "freestanding" environment provides only the capabilities of the standard library as declared in the header files `float.h`, `iso646.h`, `limits.h`, `stdarg.h`, `stdbool.h`, and `stddef.h`.



## 1.14 Standard Library

The remaining sections in this book describe the contents of the ANSI C library. The standard functions, types, and macros are grouped according to their purpose and areas of application. This arrangement makes it easy to find less well-known functions and macros. Each section also supplies the background information needed in order to make efficient use of the library's capabilities. New data types, functions, and macros introduced in ANSI C99 are indicated by an asterisk in parentheses (\*).



## 1.15 Standard Header Files

All function prototypes, macros, and types in the ANSI library are contained in one or more of the following standard header files:

Because a standard "function" may also be implemented as a macro, your source files should contain no other declaration of a function once the appropriate header file has been included.

Table 1-22 describes some commonly used types. The table also lists which header files define each type.

<b>Table 1-22. Commonly used types</b>		
<b>Type</b>	<b>Purpose</b>	<b>Header files</b>
<code>size_t</code>	Used to express the size of an object as a number of bytes (generally equivalent to <code>unsigned int</code> )	<code>stddef.h</code> , <code>stdio.h</code>
<code>wchar_t</code>	Used to hold multi-byte character codes, and large enough to represent the codes of all extended character sets	<code>stdlib.h</code> , <code>wchar.h</code> (*)
<code>wint_t</code> (*)	An integer type used to represent wide characters, including the macro <code>WEOF</code>	<code>wchar.h</code> (*)
<code>ptrdiff_t</code>	Used to represent the difference of two pointers (usually equivalent to <code>int</code> )	<code>stddef.h</code>



## 1.16 Input and Output

The ANSI library provides a suite of high-level functions to manage all kinds of input and output, with the appropriate buffering, as uniform data streams.

When a file is opened, for example, a new stream is created along with a file pointer, which is a pointer to a structure of type `FILE` that contains information about the stream. This information includes the address of the buffer, the number of bytes not yet read, and other information about the file itself. The file pointer is used to identify the file in all subsequent operations.

Devices such as the display are addressed in the same way as files. When the program starts, three streams are open by default, with the following file pointers:

`stdin`

The standard input device

`stdout`

The standard output device

`stderr`

The standard output device for error messages

`stdin` is generally associated with the keyboard, while `stdout` and `stderr` are associated with the display, unless redirection has been performed using the function `freopen()` or by the environment in which the program is running.

There is no predefined file structure in C: every file is assumed to contain simply a sequence of bytes. The internal structure of a file is completely left up to the program that uses it.

All read and write operations are applied at the current file position, which is the position of the next character to be read or written, and is always recorded in the `FILE` structure. When the file is opened, the file position is 0. It is increased by 1 with every character that is read or written. Random file access is achieved by means of functions that adjust the current file position.

In ANSI C99, characters in the extended character set can also be written to files. Thus any file used in read or write functions can be either byte-oriented or wide-oriented. After a file is opened and before any read or write access takes place, the file has no orientation. As soon as a byte input/output function is performed on the file, it becomes byte-oriented. If the first function that reads from or writes to the file is a wide-character input or output function, the file becomes wide-oriented. The function `fwide()` can also be used before the first access function to set the file's orientation, or to obtain its orientation at any time.

Only wide characters can be written to a wide-oriented file. The appropriate read and write functions thus perform conversion between wide characters with type `wchar_t` and the multibyte character encoding of the stream. For every wide-oriented stream, the momentary multibyte character parsing state is stored in an object with type `mbstate_t`. Byte access to wide-oriented files, and wide-character access to byte-oriented files, are not permitted.

### 1.16.1 Error Handling for Input/Output Functions

Errors on file access are indicated by the return value of the file access function. When the end of a file is encountered by a read function, for example, the symbolic constant `EOF` (for byte-oriented files) or `WEOF` (for

wide-oriented files) is returned. If a read or write error has occurred, an error flag is also set in the `FILE` structure.

Furthermore, in reading or writing wide-oriented streams, errors can occur in the conversion between wide characters of type `wchar_t` and multibyte characters in the stream. This is the case if one of the conversion functions `mbrtowc()` and `wcrtomb()` does not return a permissible value. The global error variable `errno` then has the value `EILSEQ` ("error: illegal sequence").

### 1.16.2 General File Access Functions

The following functions, macros, and symbolic constants are declared in the header file `stdio.h`. In the descriptions below, `fp` designates the file pointer. Functions with type `int` return 0 to indicate success, or a value other than 0 in case of errors.

```
void clearerr ( FILE *fp );
```

Clears the error and end-of-file flags.

```
int fclose ( FILE *fp );
```

Closes the file.

```
int feof ( FILE *fp );
```

Tests whether the end of the file has been reached. Returns a value not equal to 0 if the end-of-file flag is set, or 0 if it is not.

```
int ferror ( FILE *fp );
```

Tests whether an error occurred during file access. Returns a value not equal to 0 if the error flag is set, or 0 if it is not.

```
int fflush ( FILE *fp );
```

Causes any unwritten data in the file buffer to be written to the file. Returns `EOF` if an error occurs, or 0 on success.

```
int fgetpos ( FILE *fp , fpos_t *ppos );
```

Determines the current file position and copies it to the variable addressed by `ppos`. The type `fpos_t` is generally defined as `long`.

```
FILE *fopen ( const char *name , const char *mode );
```

Opens the file `name` with the access mode `mode`. Possible access mode strings are "r" (read), "r+" (read and write), "w" (write), "w+" (write and read), "a" (append), and "a+" (append and read). For modes "r" and "r+", the file must already exist. Modes "w" and "w+" create a new file, or erase the contents of an existing file. Text or binary access mode can be specified by appending `t` or `b` to the mode string. If neither is used, the file is opened in text mode.

The maximum length of a filename is the constant `FILENAME_MAX`. The maximum number of files that can be open simultaneously is `FOPEN_MAX`.

```
int fsetpos ( FILE *fp , const fpos_t *ppos );
```

Sets the file position to the new value referenced by `ppos`.

```
long ftell ( FILE *fp );
```

Returns the current file position.

```
FILE *freopen ( const char *name , const char *mode ,  
                FILE *fp );
```

Closes and reopens the file *name* with the access mode *mode* using the existing file pointer *fp*.

```
int fseek ( FILE *fp , long offset , int origin );
```

Moves the file position to *offset* bytes from the beginning of the file (if *origin* = SEEK\_SET), or from the current file position (if *origin* = SEEK\_CUR), or from the end of the file (if *origin* = SEEK\_END). The constants SEEK\_SET, SEEK\_CUR, and SEEK\_END are usually defined as 0, 1, and 2.

```
void perror ( const char *string );
```

After a system function call has resulted in an error, you can use `perror()` to write the string pointed to by *string* to `stderr`, followed by a colon and the appropriate system error message.

```
int remove ( const char *filename );
```

Makes the file named *filename* unavailable by that name. If no other filenames are linked to the file, it is deleted.

```
int rename ( const char *oldname , const char *newname );
```

Changes the name of the file whose name is addressed by *oldname* to the string addressed by *newname*.

```
void rewind ( FILE *fp );
```

Sets the file position to the beginning of the file, and clears the end-of-file and error flags.

```
void setbuf ( FILE *fp , char *buf );
```

Defines the array addressed by *buf* as the input/output buffer for the file. The buffer must be an array whose size is equal to the constant `BUFSIZ`. If *buf* is a null pointer, then the input/output stream is not buffered.

```
int setvbuf ( FILE *fp , char *buf , int mode , size_t sz );
```

Defines the array *buf* with length *sz* as the input/output buffer for the file. The parameter *mode* is one of the following constants: `_IOFBF` (full input/output buffering), `_IOLBF` (line-wise input/output buffering), or `_IONBF` (no input/output buffering). If *buf* is a null pointer, then a buffer of size *sz* is dynamically allocated.

```
FILE *tmpfile( void );
```

Opens a temporary file in binary read/write mode. The file is automatically deleted at the end of the program. The program should be able to open at least `TMP_MAX` temporary files. The symbolic constant `TMP_MAX` is greater than or equal to 25.

```
char *tmpnam ( char *s );
```

Generates a unique filename that can be used to create a temporary file. If *s* is a null pointer, the filename generated is stored in an internal static buffer. Otherwise, *s* must point to a `char` array with a length of at least `L_tmpnam` bytes, in which the function stores the new name.

### 1.16.3 File Input/Output Functions

The classic functions for reading from and writing to files are declared in the header file *stdio.h*. In the descriptions that follow in [Table 1-23](#), *fp* designates the file pointer. Those functions that have no parameter with the file pointer type read from `stdin` or write to `stdout`.

#### 1.16.3.1 Reading and writing characters and strings

Purpose	Functions
Write a character	<code>int fputc( int c, FILE *fp );</code> <code>int putc( int c, FILE *fp );</code> <code>int putchar( int c );</code>
Read a character	<code>int fgetc( FILE *fp );</code> <code>int getc( FILE *fp );</code> <code>int getchar( void );</code>
Put back a character	<code>int ungetc( int c, FILE *fp );</code>
Write a line	<code>int fputs( const char *s, FILE *fp );</code> <code>int puts( const char *s );</code>
Read a line	<code>char *fgets( char *s, int n, FILE *fp );</code> <code>char *gets( char *buffer );</code>

For each of these input/output functions, there is also a corresponding function for wide-oriented access. The wide functions are declared in the header file *wchar.h*<sup>(\*)</sup>. Their names are formed with `wc` (for wide character) in place of `c` (for character), or with `ws` (for wide string) in place of `s` (for string).

#### 1.16.3.2 Block read and write functions

The following file access functions can be used to read or write a block of characters:

```
size_t fwrite ( const void *buf , size_t sz , size_t n ,
                FILE *fp );
```

Writes *n* objects of length *sz* from the buffer addressed by *buf* to the file.

```
size_t fread ( void *buffer , size_t sz , size_t n ,
                FILE *fp );
```

Reads up to *n* objects of length *sz* from the file and copies them to the memory location pointed to by *buf*.

Both functions return the number of objects transferred. If the return value is less than the argument *n*, then an error occurred, or `fread()` encountered the end of the file.

#### 1.16.3.3 Formatted output

The `printf` functions provide formatted output:

```
int printf ( const char *format , ... /*arg1 , ... , argn */ );
```



Writes the format string pointed to by *format* to the standard output stream, replacing conversion specifications with values from the argument list *arg1, ..., argn*.

```
int fprintf ( FILE *fp , const char *format , ... );
```

Like `printf()`, but writes the format string *format* to the file indicated by the file pointer *fp*.

```
int vprintf ( const char *format , va_list arg );
```

Like `printf()`, but with the variable argument list replaced by an object of type `va_list` that has been initialized using the `va_start` macro.

```
int vfprintf ( FILE *fp , const char *format , va_list arg );
```

Like `fprintf()`, but with the variable argument list replaced by an object of type `va_list` that has been initialized using the `va_start` macro.

All of the `printf` functions return the number of characters written, or EOF if an error occurred.

In the following example, the function `printf()` is called with one conversion specification:

```
printf( "%+10.2f", sin( 1.2 ) );
```

The resulting output displays the signed value of `sin(1.2)` to two decimal places, right-justified in a field 10 spaces wide.

The general format of the conversion specifications used in the `printf` functions is as follows:

```
%[flags][field width][.precision]specifier
```

The *flags* consist of one or more of the characters `+`, `' '` (space), `-`, `0`, or `#`. Their meanings are:

`+`

The plus sign is prefixed to positive numbers.

`' '` (space)

A leading space is prefixed to positive numbers.

`-`

The output is left-justified in the field.

`0`

The field is filled with leading zeroes to the left of the number.

`#`

Alternate conversion rules are used as follows: If *specifier* is `A(*)`, `a(*)`, `E`, `e`, `G`, or `g`, floating-point numbers are formatted with a decimal point. If *specifier* is `X`, `x`, or `o`, hexadecimal integers are formatted with the `0X` or `0x` prefix, and octal integers with the `0` prefix.

The *field width* is a positive integer that fixes the length of the field occupied by the given conversion

specification in the output string. If the *flags* include a minus sign, the converted value appears left-justified in the field; otherwise, it is right-justified. The excess field length is filled with space characters. If the output string is longer than the field width, the field width is increased as necessary to print the string in its entirety.

An asterisk (\*) may also be specified for the field width. In this case, the field width is determined by an additional argument of type `int`, which immediately precedes the argument to be converted in the argument list.

*.precision* determines the number of decimal places printed in the output of floating-point numbers, when *specifier* is `f` or `e`. If *specifier* is `g`, *.precision* determines the number of significant digits. Rounding is performed if necessary. For floating-point numbers, the default value for *.precision* is 6.

For integers, *.precision* indicates the minimum number of digits to be printed. Leading zeroes are prefixed as necessary. For integers, the default value for *.precision* is 1.

If the argument to be converted is a string, then *.precision* indicates the maximum number of characters of the string that should appear.

*specifier* is the conversion specifier, indicating how the given argument is to be interpreted and converted. Note that *specifier* must correspond to the actual type of the argument to be converted. The possible conversion specifiers are listed in [Table 1-24](#).

Specifier	Argument types	Output format
<code>d, i</code>	<code>int</code>	Decimal
<code>u</code>	<code>unsigned int</code>	Decimal
<code>o</code>	<code>unsigned int</code>	Octal
<code>x</code>	<code>unsigned int</code>	Hexadecimal with a, b, c, d, e, f
<code>X</code>	<code>unsigned int</code>	Hexadecimal with A, B, C, D, E, F
<code>f</code>	<code>float/double</code>	Floating-point number, decimal
<code>e, E</code>	<code>float/double</code>	Exponential notation, decimal
<code>a, A</code>	<code>float/double</code>	Exponential notation, hexadecimal(*)
<code>g, G</code>	<code>float/double</code>	Floating-point or exponential notation, whichever is shorter
<code>c</code>	<code>char / int</code>	Single character
<code>s</code>	<code>string</code>	The string terminated by <code>'\0'</code> or truncated to the number of characters specified by <i>.precision</i> .
<code>N</code>	<code>int *</code>	The number of characters printed up to this point is stored in the given location
<code>P</code>	<code>pointer</code>	The corresponding address, hexadecimal
<code>%</code>	<code>none</code>	The character <code>%</code>

The letter `l` (that's an ell) can be prefixed to the `c` or `s` conversion specifiers to indicate a wide character or a wide string.

The letters `l` or `ll`(\*) can also be prefixed to the conversion specifiers `d, i, u, o, x,` and `X` to indicate an argument of type `long` or `long long`(\*). Similarly, `h` or `hh` can be prefixed to the same conversion specifiers to indicate an argument of type `short` or `char`.

An argument of type `long double` can be converted by using the prefix `L` with the conversion specifier `f, e, E, g, G, a,` or `A`.

Furthermore, ANSI C99 has introduced the following extensions:

- The new conversion specifiers `A` and `a` can be used to print a number of type `double` in hexadecimal exponential notation (`0Xh.hhhhP±d` or `0xh.hhhhP±d`). This conversion uses `FLOAT_RADIX`, which is generally defined as 2, as the base. If no precision is specified, the number is printed with as many decimal places as necessary for exact representation.

- Arguments of type `intmax_t`<sup>(\*)</sup> or `uintmax_t`<sup>(\*)</sup> can be converted by prefixing the letter `j` to the conversion specifiers `d`, `i`, `o`, `u`, `x`, or `X`. Similarly, the argument type `size_t` is indicated by the prefix `z`, and the type `ptrdiff_t` by the prefix `t`.

- For the integer types defined in the header file `stdint.h`<sup>(\*)</sup> (such as `int16_t` and `int_least32_t`), there are separate conversion specifiers for use in `printf()` format strings. These conversion specifiers are defined as macros in the header file `inttypes.h`<sup>(\*)</sup>. The macro names for the conversion specifiers corresponding to `d`, `i`, `o`, `x`, and `X` begin with the prefixes `PRId`, `PRIdi`, `PRIdo`, `PRIdu`, `PRIdx`, and `PRIdX`. For example, the macro names beginning with `PRId` are:

```
PRIdN PRIdLEASTN PRIdFASTN PRIdMAX PRIdPTR
```

where *N* is the width in bits (usually 8, 16, 32, or 64). For example:

```
intmax_t i = INTMAX_MAX;

printf("Largest integer value: %20" PRIdMAX "\n", i );
```

#### 1.16.3.4 Formatted input

The `scanf()` input functions are the counterparts to the `printf()` formatted output functions. They are used to read file input under control of a format string and convert the information for assignment to variables.

```
int scanf ( const char *format , ... /*arg1 , ... , argn */ );
```

Reads characters from standard input and saves the converted values in the variables addressed by the pointer arguments `arg1`, ..., `argn`. The characters read are converted according to the conversion specifications in the format string `format`.

```
int fscanf ( FILE *fp , const char *format , ... );
```

Like `scanf()`, but reads from the file specified by `fp` rather than standard input.

```
int vfscanf ( FILE *fp , const char *format , va_list arg );
```

Like `fscanf()`, but with the variable argument list replaced by an object (`arg`) of type `va_list` that has been initialized using the `va_start` macro. See "Functions with Variable Numbers of Arguments" earlier in this book for information on `va_list` and `va_start`.

```
int vscanf ( const char *format , va_list arg );
```

Like `scanf()`, but with the variable argument list replaced by an object (`arg`) of type `va_list` that has been initialized using the `va_start` macro. See "Functions with Variable Numbers of Arguments" earlier in this book for information on `va_list` and `va_start`.

All of the `scanf` functions return the number of successfully converted input fields. The return value is EOF if the first input field could not be read or converted, or if the end of the input file was reached.

The general format of the conversion specifications used in the `scanf` functions is as follows:

```
%[field width]specifier
```

For example:

```
scanf( "%5d", &var ); // var has type int
```

For each conversion specification in the format string, the next input item is read, converted, and assigned to the variable pointed to by the corresponding argument. Input fields are separated by whitespace characters (space, tab, and newline characters).

*field width* indicates the maximum number of characters to be read and converted. The next input field begins with the first character not yet processed.

*specifier* corresponds to the conversion specifiers in output format strings, except for the following differences:

- `%i` is used to read decimal, octal, and hexadecimal integers. The base is determined by the number's prefix, as for constants in source code.
- `%f` converts input for assignment to a variable of type `float`, and `%lf` to a variable of type `double`.
- `%c` reads the next character, which may also be a space. All other conversion specifiers read the next input item, skipping over any spaces that precede it.
- `%s` reads a string and appends the string terminator character `'\0'`. The conversion specifier for a string, `s`, may be replaced by a sequence of characters in square brackets, called the scanlist. In this case, each character read must match one of these characters. For example, use `%[1234567890]` to read only digits. The first character that does not match any of the characters in the scanlist terminates the input item. If the scanlist begins with a caret (^), then the input item is terminated by the first character in the input stream that does match one of the other characters in the scanlist. A hyphen can be used to indicate a sequence of consecutive search characters. For example, the scanlist `[a-f]` is equivalent to `[abcdef]`.

If a conversion specification contains an asterisk (\*) after the percent sign (%), then the input item is read as specified, but not assigned to a variable. In effect, that input field is skipped. Such a conversion specification corresponds to no variable argument.

Any character that cannot be interpreted according to the conversion specification terminates the current input field, and is put back into the input buffer. This character is then the first one read for the next input item.

The format string can also contain other characters that do not form part of a conversion specification and are not whitespace. The `scanf` functions expect such characters to be matched in the input stream, but do not convert or save them. If non-matching characters occur in the input, the function stops reading from the file. However, a whitespace character in the format string matches any sequence of whitespace characters in the input. For example, if the format string `"%c"` is used to read an individual character, any leading whitespace is skipped.

As for `printf()`, ANSI C99 defines separate conversion specifiers for reading fixed-width integer variables, such as `int_least32_t`. The corresponding macro names, defined in the header file `inttypes.h`<sup>(\*)</sup>, have the prefix `SCN` (for "scan") rather than `PRI` (for "print").

The header file `wchar.h`<sup>(\*)</sup> contains the declarations of `wprintf()`, `wscanf()`, and related functions. These functions provide input and output controlled by a wide format string. The conversion specifications and their interpretation are identical to those of the `printf()` and `scanf()` functions.

## 1.17 Numerical Limits and Number Classification

When working with C's various numeric types, it's important to understand the range of values that each type can hold.

### 1.17.1 Value Ranges of Integer Types

The value ranges of the integer types are documented in the header file *limits.h*. The constants, listed in [Table 1-25](#), indicate the largest and smallest values that can be represented by the given type.

Type	Minimum	Maximum	Maximum of the unsigned type
char	CHAR_MIN	CHAR_MAX	UCHAR_MAX
signed char	SCHAR_MIN	SCHAR_MAX	
short	SHRT_MIN	SHRT_MAX	USHRT_MAX
int	INT_MIN	INT_MAX	UINT_MAX
long	LONG_MIN	LONG_MAX	ULONG_MAX
long long(*)	LLONG_MIN(*)	LLONG_MAX(*)	ULLONG_MAX(*)

If `char` is interpreted as signed, then `CHAR_MIN` is equal to `SCHAR_MIN` and `CHAR_MAX` is equal to `SCHAR_MAX`. If not, then `CHAR_MIN` is equal to 0 and `CHAR_MAX` is equal to `UCHAR_MAX`.

In addition to the constants listed in [Table 1-25](#), *limits.h* also contains the following:

`CHAR_BIT`

The number of bits in a byte (usually 8)

`MB_LEN_MAX`

The maximum number of bytes in a multibyte character

In the header file *stdint.h*(<sup>\*</sup>), constants are also defined to document the minimum and maximum values of the types `wchar_t`, `wint_t`, `size_t`, `ptrdiff_t`, and `sig_atomic_t`, and of the fixed-width integer types, such as `int_least32_t`. The names of these constants are formed from the type names as follows: the type name is written all in capital letters, and the suffix `_t` is replaced by `_MIN` or `_MAX`. For example:

```
WCHAR_MIN           // Minimum value of wchar_t
INT_LEAST32_MAX     // Maximum value of int_least32_t
```

For the unsigned types only the `..._MAX` constants are defined.

### 1.17.2 Range and Precision of Real Floating Types

The macros listed in [Table 1-26](#) are defined in the header file *float.h* to represent the range and the precision of the types `float`, `double`, and `long double`. The macro names are formed using the prefixes `FLT` for `float`, `DBL` for `double`, and `LDBL` for `long double`. The macros `FLT_RADIX` and `FLT_ROUNDS` apply to all three floating types.

Macro name	Purpose
<code>FLT_RADIX</code>	Base (or radix) of the exponential notation
<code>FLT_ROUNDS</code>	Indicates how rounding is performed on values that cannot be represented exactly: -1 = undetermined

	0 = towards zero, 1 = towards the nearest representable value 2 = upwards 3 = downwards
FLT_MANT_DIG DBL_MANT_DIG LDBL_MANT_DIG	The number of digits in the mantissa to base FLT_RADIX
FLT_MIN_EXP DBL_MIN_EXP LDBL_MIN_EXP	Minimum value of the exponent to base FLT_RADIX
FLT_MAX_EXP DBL_MAX_EXP LDBL_MAX_EXP	Maximum value of the exponent to base FLT_RADIX

The macros listed in [Table 1-26](#) document the range and precision of all real floating types. In actual programs, such information is most often needed for decimal (base 10) notation. Accordingly, you can use the macros for type `float` listed [Table 1-27](#), and which are defined in *float.h*.

Macro name	Purpose
FLT_DIG	Precision as a number of decimal digits
FLT_MIN_10_EXP	Minimum negative exponent to base 10
FLT_MAX_10_EXP	Maximum positive exponent to base 10
FLT_MIN	Minimum representable positive floating-point number
FLT_MAX	Maximum representable floating-point number
FLT_EPSILON	Minimum positive representable floating-point number $x$ such that $1.0 + x \neq 1.0$

Similar constants are also defined for the types `double` and `long double`. These have names beginning with `DBL` or `LDBL` in place of `FLT`.

ANSI C99 also introduces the macro `DECIMAL_DIG`, which indicates the precision of the largest floating type as a number of decimal digits.

### 1.17.3 Classification of Floating-Point Numbers

ANSI C99 defines five categories of floating-point numbers, listed in [Table 1-28](#). A symbolic constant for each category is defined in the header file *math.h*.

Macro name	Category
FP_ZERO	Floating-point numbers with the value 0
FP_NORMAL	Floating-point numbers in normalized representation
FP_SUBNORMAL <sup>[1]</sup>	Floating-point numbers in subnormal representation
[1] Tiny numbers may be represented in subnormal notation.	
FP_INFINITE	Floating-point numbers that represent an infinite value
FP_NAN	

Not a Number (NaN): bit patterns that do not represent a valid floating-point number
--

<sup>[1]</sup> Tiny numbers may be represented in subnormal notation.

The macros in [Table 1-29](#) can be used to classify a real floating-point number  $x$  with respect to the categories in [Table 1-28](#) without causing an error condition.

Table 1-29. Macros for floating-point number classification	
Macro	Result
<code>fpclassify(x)</code>	Returns one of the constants described in <a href="#">Table 1-28</a> to indicate the category to which $x$ belongs.
<code>isfinite(x)</code>	Returns "true" (i. e., a value other than 0) if the value of $x$ is finite (0, normal, subnormal, not infinite, or NaN), otherwise 0.
<code>isinf(x)</code>	Returns "true" if $x$ is an infinity, otherwise 0.
<code>isnormal(x)</code>	Returns "true" if the value of $x$ is a normalized floating-point number not equal to 0. Returns 0 in all other cases.
<code>isnan(x)</code>	Returns "true" if $x$ is "not a number" (NaN), otherwise 0.
<code>signbit(x)</code>	Returns "true" if $x$ is negative (i. e., if the sign bit is set), otherwise 0

The following constants are also defined in *math.h*:

#### INFINITY

The maximum positive value of type `float`, used to represent infinity.

#### NAN (Not a Number)

A value of type `float` which is not a valid floating-point number.

NANs can be either quiet or signaling. If a signaling NAN occurs in the evaluation of an arithmetic expression, the exception status flag `FE_INVALID` in the floating point environment is set. This flag is not set when a quiet NAN occurs.

C implementations are not required to support the concept of NANs. If NANs are not supported, the constant `NAN` is not defined.





## 1.18 Mathematical Functions

C supports a variety of useful mathematical functions. Different functions apply to different datatypes. For example, randomization functions apply to integers, whereas trigonometric functions apply to floating-point values.

### 1.18.1 Mathematical Functions for Integer Types

The mathematical functions for the types `int` and `long` are declared in *stdlib.h*.

```
int rand( void );
```

Generates a random number between 0 and `RAND_MAX`. The constant `RAND_MAX` has a value of at least 32767, or  $2^{15} - 1$ .

```
void srand ( unsigned n );
```

Initializes the random number generator with the seed `n`. After this function has been called, calls to `rand()` generate a new sequence of random numbers.

```
int abs ( int x );
```

Returns the absolute value of `x`.

```
div_t div ( int x , int y );
```

Divides `x` by `y` and stores the integer part of the quotient and the remainder in a structure of type `div_t`, whose members `quot` (the quotient) and `rem` (the remainder) have type `int`. The type `div_t` is defined in *stdlib.h*.

The corresponding (to `abs()` and `div()`) functions `labs()`, `llabs()`<sup>(\*)</sup>, `lldiv()`<sup>(\*)</sup>, and `ldiv()` are also provided for integers of type `long long (*)`. Furthermore, the functions `imaxabs()`<sup>(\*)</sup> and `imaxdiv()`<sup>(\*)</sup> are defined for the type `intmax_t`<sup>(\*)</sup>. These functions are declared in *inttypes.h*<sup>(\*)</sup>.

### 1.18.2 Mathematical Functions for Real Floating Types

The mathematical functions declared in *math.h* were originally defined only for `double` values, with return values and parameters of type `double`. These functions are shown in [Table 1-30](#).

Table 1-30. The traditional mathematical functions for double values	
Mathematical function	C function
Trigonometric functions:	
· Sine, cosine, tangent	<code>sin()</code> , <code>cos()</code> , <code>tan()</code>
· Arcsine, arccosine	<code>asin()</code> , <code>acos()</code>
· Arctangent	<code>atan()</code> , <code>atan2()</code>
Hyperbolic functions	<code>sinh()</code> , <code>cosh()</code> , <code>tanh()</code>
Powers, square root	<code>pow()</code> , <code>sqrt()</code> ,
Exponential functions	<code>exp()</code> , <code>frexp()</code> , <code>ldexp()</code>
Logarithms	<code>log()</code> , <code>log10()</code>
Next integer	<code>ceil()</code> , <code>floor()</code>
Absolute value	<code>fabs()</code>

Remainder (modular division)	fmod()
Separation of integer and fractional parts	modf()

ANSI C99 introduces new versions of the functions listed in [Table 1-30](#) for the types `float` and `long double`. The names of these functions end with `f` or `l`; for example:

```
double cos( double x );
```

```
float cosf( float x );
```

```
long double cosl( long double x );
```

New standard mathematical functions for real numbers have also been added in *math.h*, as listed in [Table 1-31](#). These functions also have versions for `float` and `long double`, with names ending in `f` and `l`.

Mathematical function	C function
Trigonometric functions	asinh(), acosh(), atanh()
Exponential functions	exp2(), expm1()
Logarithms	ilogb(), logb(), loglp(), log2()
Roots	cbrt(), hypot()
Remainder	remainder(), remquo()
Positive difference	fdim()
Minimum and maximum	fmin(), fmax()
Rounding	trunc(), rint(), lrint(), llrint(), round(), lround(), llround()
Next number	nearbyint(), nextafter(), nexttoward()
Copy sign	copysign()
Optimized operations	scalbn(), scalbln(), fma()
Gamma function	tgamma(), lgamma()
Error functions	erf(), erfc()

Macros for comparing floating-point numbers are also defined in *math.h* and are listed in [Table 1-32](#). Unlike the comparative operators, these macros do not raise the `FE_INVALID` exception when the arguments cannot be compared, as when one of them is a NAN, for example.

Macro	Comparative expression
isgreater( <i>x</i> , <i>y</i> )	( <i>x</i> ) > ( <i>y</i> )
isgreaterequal( <i>x</i> , <i>y</i> )	( <i>x</i> ) >= ( <i>y</i> )
isless( <i>x</i> , <i>y</i> )	( <i>x</i> ) < ( <i>y</i> )
islessequal( <i>x</i> , <i>y</i> )	( <i>x</i> ) <= ( <i>y</i> )
islessgreater( <i>x</i> , <i>y</i> )	( <i>x</i> ) < ( <i>y</i> )    ( <i>x</i> ) > ( <i>y</i> )
isunordered( <i>x</i> , <i>y</i> )	1 if <i>x</i> and <i>y</i> cannot be compared, otherwise 0

### 1.18.3 Optimizing Runtime Efficiency

ANSI C99 has introduced features to optimize the efficiency of floating-point operations.

The types `float_t` and `double_t`, defined in *math.h*, represent the types used internally in floating-point arithmetic. When these types are used in a program, no conversions are necessary before arithmetic operations are performed. The macro `FLT_EVAL_METHOD` indicates what the equivalent basic types are, and returns one of the values described in [Table 1-33](#).

--

**Table 1-33. Interpretation of float\_t and double\_t**

FLT_EVAL_METHOD	Type represented by float_t	Type represented by double_t
0	float	double
1	double	double
2	long double	long double

CPUs may have special machine instructions to perform standard arithmetic operations quickly. Rounding and error conditions may also be ignored. Optimizations of these kinds can be enabled by the pragma `FP_CONTRACT`. For example:

```
#pragma STDC FP_CONTRACT ON
```

The same pragma with the switch `OFF` rather than `ON` disables such optimizations.

Furthermore, the macro `FP_FAST_FMA` is defined if the "floating-point multiply-add" function `fma(x, y, z)`, which returns  $x*y+z$ , is implemented as a special instruction, and is thus faster than separate multiplication and addition operations. The macros `FP_FAST_FMAF` and `FP_FAST_FMAL` are analogous indicators for the functions `fmaf()` and `fmal()`.

### 1.18.4 Mathematical Functions for Complex Floating Types

Functions and macros for complex numbers are declared in the header file `complex.h(*)`. The functions shown in [Table 1-34](#) have one parameter and return a value of type `double complex`.

**Table 1-34. Mathematical functions for the type double complex**

Mathematical function	C function
Trigonometric functions:	
· Sine, cosine, tangent	<code>csin()</code> , <code>ccos()</code> , <code>ctan()</code>
· Arcsine, arccosine	<code>casin()</code> , <code>cacos()</code>
· Arctangent	<code>catan()</code>
Hyperbolic functions	<code>csinh()</code> , <code>ccosh()</code> , <code>ctanh()</code> , <code>casinh()</code> , <code>cacosh()</code> , <code>catanh()</code>
Powers, square root	<code>cpow()</code> , <code>csqrt()</code>
Exponential function	<code>cexp()</code>
Logarithm	<code>clog()</code>
Complex conjugate	<code>conj()</code>

The functions shown in [Table 1-35](#) have one parameter of type `double complex` and return a value of type `double`.

**Table 1-35. Complex functions with type double**

Mathematical function	C function
Absolute value	<code>cabs()</code>
Argument (phase angle)	<code>carg()</code>
Real and imaginary parts	<code>creal()</code> , <code>cimag()</code>
Projection onto the Riemann sphere	<code>cproj()</code>

These functions also have versions for `float complex` and `long double complex`, with names ending in `f` and `l`.

[Table 1-36](#) shows macros that are defined for complex types.

--

Table 1-36. Macros for complex types

Macro	Replacement value
<code>complex</code>	<code>_Complex</code>
<code>_Complex_I</code>	The imaginary unit, i. e., the number $i$ such that $i^2 = -1$ , with type <code>const float</code> <code>_Complex</code>
<code>imaginary</code>	<code>_Imaginary</code>
<code>_Imaginary_I</code>	The imaginary unit, with type <code>const float</code> <code>_Imaginary</code>
<code>I</code>	<code>_Imaginary_I</code> if the compiler supports the type <code>_Imaginary</code> , otherwise <code>_Complex_I</code>

Arithmetic operations with complex numbers can be accelerated in cases when no overflow or underflow can occur. The programmer can signal such "safe" operations using the pragma:

```
#pragma STDC CX_LIMITED_RANGE ON
```

The default setting is OFF.

### 1.18.5 Type-Generic Macros

The type-generic macros defined in header file *tgmath.h* are unified names that can be used to call the different mathematical functions for specific real and complex floating types.

If a given function is defined for real or for both real and complex floating types, then the type-generic macro name is the same as the name of the function version with type `double`. (The real function `modf()` is an exception, however, for which there is no type-generic macro.)

The type-generic macros always call the function that matches the type of the arguments. For example:

```
complex z = 1.0 + 2.1*I;

cos( z );           // Calls ccos()

ceil( 7.1L );      // Calls ceill()
```

Type-generic macros are also defined for the complex functions for which there are no corresponding real functions: `carg()`, `conj()`, `creal()`, `cimag()`, and `cproj()`. These macros always call the corresponding complex function, if the argument is a real floating-point number or a complex number.

### 1.18.6 Error Handling for Mathematical Functions

Error conditions are customarily detected by examining the return value of a function and/or the global error variable `errno`. The variable `errno` is declared with type `int` in the header file *errno.h*.

If a function is passed an argument that is outside the domain for which the function is defined, a "domain error" occurs, and `errno` is assigned the value of the macro `EDOM`. Similarly, if the result of a function cannot be represented by the type of the function's return value, then a "range error" occurs, and `errno` is assigned the value `ERANGE`. In the case of an overflow—that is, if the magnitude of the result is too great for the specified type—the function returns the value of the macro `HUGE_VAL`, with the appropriate sign. In case of an underflow—i. e., the magnitude of the result is too small—the function returns 0.

In addition to `HUGE_VAL` (with type `double`), ANSI C99 also provides the macros `HUGE_VALF` (type `float`) and `HUGE_VALL` (type `long double`), which are returned by functions of the corresponding types.

Furthermore, ANSI C99 introduces the macros `FP_ILOGB0` and `FP_ILOGBNAN`. The function `ilogb(x)` returns `FP_ILOGB0` if  $x$  is equal to 0. If  $x$  is "not a number" (NaN), `ilogb(x)` returns the value of `FP_ILOGBNAN`.

### 1.18.7 The Floating-Point Environment

ANSI C99 has introduced the floating-point environment to permit more detailed representation of error conditions in floating-point arithmetic. All of the declarations for the floating-point environment are contained in the header file *fenv.h*(\*). The floating-point environment contains two system variables: one for the status flags, which are used in handling floating-point exceptions, and one for the control modes, which determine certain behaviors of floating-point arithmetic, such as the rounding method used.

For every exception possible in an implementation that supports floating-point exceptions, an appropriate status flag is defined, as described in [Table 1-37](#).

Table 1-37. Macros for floating-point exceptions in <i>fenv.h</i> (*)	
Macro	Error condition
FE_DIVBYZERO	Division by 0
FE_INEXACT	The result of the operation is not exact
FE_INVALID	The result is undefined, e.g., a value was outside the domain for which the function is defined
FE_OVERFLOW	A floating-point overflow occurred
FE_UNDERFLOW	An underflow occurred

Several of these constants can be combined by a bitwise OR (`|`). The macro `FE_ALL_EXCEPT` is equal to the bitwise OR of all of the floating-point exception constants implemented. The system variable for the floating-point exception status has the type `fexcept_t`.

The following functions are used to handle floating-point exceptions. With the exception of `fetestexcept()`, each function returns 0 to indicate success, or a value other than 0 in case of errors. The `excepts` argument indicates which of the exceptions listed in [Table 1-37](#) are affected.

```
int fetestexcept ( int excepts );
```

Tests which of the specified floating-point exceptions are set. Bits are set in the return value to correspond to the exceptions that are currently set.

```
int feclearexcept ( int excepts );
```

Clears the specified floating-point exceptions.

```
int feraiseexcept ( int excepts );
```

Raises the specified floating-point exceptions.

```
int fegetexceptflag ( fexcept_t *flagp , int excepts );
```

Saves the status of the specified exceptions in the object referenced by *flagp*.

```
int fesetexceptflag ( const fexcept_t *flagp ,  
int excepts );
```

Sets the exception status according to the flags previously saved (by `fegetexceptflag()`) in the object referenced by *flagp*.

The control mode determines certain properties of floating-point arithmetic, including the rounding method used. The symbolic constants described in [Table 1-38](#) are defined for this purpose.

--

Table 1-38. Controlling rounding behavior

Macro	Rounding direction
FE_DOWNWARD	Round down to the next lower value.
FE_TONEAREST	Round to the nearest value.
FE_TOWARDZERO	Truncate.
FE_UPWARD	Round up to the next higher value.

The current rounding direction can be read and changed using the functions `int fegetround()` and `int fesetround( int round )`.

The following functions manipulate the floating-point environment as a single entity. The type `fenv_t` represents the entire floating-point environment.

```
int fegetenv ( fenv_t *envp );
```

Saves the current floating-point environment in the object referenced by `envp`.

```
int fesetenv ( const fenv_t *envp );
```

Establishes the floating-point environment referenced by `envp`.

```
int feholdexcept ( fenv_t *envp );
```

Saves the current floating-point environment in the object referenced by `envp`, then clears the status flags and installs a non-stop mode, so that processing continues in case of further floating-point exceptions.

```
int feupdateenv ( const fenv_t *envp );
```

Establishes the floating-point environment referenced by `envp`, and then raises the exceptions that were set in the saved environment.

The macro `FE_DFL_ENV` is a pointer to the floating-point environment that is installed at program start-up, and can be used as an argument in the functions `fesetenv()` and `feupdateenv()`.

The floating-point environment need not be active in an implementation that supports it. It can be activated by the pragma:

```
#pragma STDC FENV_ACCESS ON
```

and deactivated by the same pragma with the switch `OFF`.

The macro `math_errhandling`, defined in `math.h`, can be used to determine whether the program uses `errno` and/or the floating-point environment:

- If the expression `math_errhandling & MATH_ERRNO` is not 0, then the error variable `errno` is used.
- If the expression `math_errhandling & MATH_ERREXCEPT` is not 0, then floating-point errors raise the exceptions defined in `fenv.h`.

## 1.19 Character Classification and Case Mapping

A number of functions for classifying and changing the case of characters with type `char` are defined in the header file `ctype.h`. These functions, whose names begin with `is...` or `to...`, accept a one-character argument whose value is between 0 and 255, or EOF.

The `is...` functions, listed in [Table 1-39](#), test whether the character is a member of a specific category of characters. They return "true," i.e., a non-zero value, if the character is in the given category. If not, the return value is 0, or "false."

Category	Function
Letter	<code>int isalpha( int c );</code>
Lower-case letter	<code>int islower( int c );</code>
Upper-case letter	<code>int isupper( int c );</code>
Decimal digit	<code>int isdigit( int c );</code>
Hexadecimal digit	<code>int isxdigit( int c );</code>
Letter or decimal digit	<code>int isalnum( int c );</code>
Printable character	<code>int isprint( int c );</code>
Printable character other than space ' '	<code>int isgraph( int c );</code>
Whitespace character	<code>int isspace( int c );</code>
Punctuation mark	<code>int ispunct( int c );</code>
Control character	<code>int iscntrl( int c );</code>
Space or horizontal tabulator	<code>int isblank( int c );</code> (*)

The following example reads a character and then tests to see whether it is a digit:

```
int c = getchar();      // Read a character

if ( isdigit( c ) ) ...// Is it a decimal digit?
```

The `to...` functions are used to convert characters from upper- to lower-case and vice versa, as shown in [Table 1-40](#).

Conversion	Function
Upper- to lower-case	<code>int tolower( int c );</code>
Lower- to upper-case	<code>int toupper( int c );</code>

The corresponding functions for wide characters, with type `wchar_t`, are declared in the header file `wctype.h` (\*). Their names are similar to those in [Table 1-39](#) and [Table 1-40](#), but start with `isw...` and `tow...`. These functions expect one character argument of type `wint_t` whose value is between 0 and 32767, or WEOF.

For wide characters there are also the extensible classification and mapping functions, `iswctype()` and `towctrans()`. These functions provide flexible, locale-specific testing and mapping of wide characters. Before one of these functions is used, the desired test criterion or mapping information must be registered by a call to `wctype()` or `wctrans()`:

```
iswctype( wc, wctype( "lower" ) );

towctrans( wc, wctrans( "upper" ) );
```

These calls are equivalent to `iswlower( wc );` and `towupper( wc );`. The function `wctype()` returns a value of type `wctype_t`, and `wctrans()` has a return value of type `wctrans_t`.

Single-byte characters of type `unsigned char` can be converted to the type `wchar_t` using the function `btowc()`, which is declared in `wchar.h`<sup>(\*)</sup>. The opposite conversion is performed by the function `wctob()`. If the character cannot be converted, these functions return `EOF` or `WEOF`.

All of these functions take language-specific particularities of the current locale into account (see the later section [Section 1.26](#)).



## 1.20 String Handling

There is no basic type for strings in C. A string is simply a sequence of characters ending with the string terminator, stored in a `char` array. A string is represented by a `char` pointer that points to the first character in the string.

The customary functions for manipulating strings are declared in *string.h*. Those functions that modify a string return a pointer to the modified string. The functions used to search for a character or a substring return a pointer to the occurrence found, or a null pointer if the search was unsuccessful.

```
char *strcat ( char *s1 , const char *s2 );
```

Appends the string *s2* to the end of *s1*. The first character copied from *s2* replaces the string terminator character of *s1*.

```
char *strchr ( const char *s , int c );
```

Locates the first occurrence of the character *c* in the string *s*.

```
int strcmp ( const char *s1 , const char *s2 );
```

Compares the strings *s1* and *s2*, and returns a value that is greater than, equal to, or less than 0 to indicate whether *s1* is greater than, equal to, or less than *s2*. A string is greater than another if the first character code in it which differs from the corresponding character code in the other string is greater than that character code.

```
int strcoll ( const char *s1 , const char *s2 );
```

Transforms an internal copy of the strings *s1* and *s2* using the function `strxfrm()`, then compares them using `strcmp()` and returns the result.

```
char *strcpy ( char *s1 , const char *s2 );
```

Copies *s2* to the `char` array referenced by *s1*. This array must be large enough to contain *s2* including its string terminator character `'\0'`.

```
int strcspn ( const char *s1 , const char *s2 );
```

Determines the length of the maximum initial substring of *s1* that contains none of the characters found in *s2*.

```
size_t strlen ( const char *s );
```

Returns the length of the string addressed by *s*. The length of the string is the number of characters it contains, excluding the string terminator character `'\0'`.

```
char *strncat ( char *s1 , const char *s2 , size_t n );
```

Appends the first *n* characters of *s2* (and the string terminator character) to *s1*.

```
int strncmp ( const char *s1 , const char *s2 , size_t n );
```

Compares the first *n* characters of the strings *s1* and *s2*. The return value is the same as for `strcmp()`.

```
char *strncpy ( char *s1 , const char *s2 , size_t n );
```

Copies the first  $n$  characters of  $s2$  to the char array  $s1$ . The string terminator character ' $\backslash 0$ ' is not appended.

```
char *strncpy ( const char *s1 , const char *s2 );
```

Locates the first occurrence in  $s1$  of any of the characters contained in  $s2$ .

```
char *strchr ( const char *s , int c );
```

Locates the last occurrence of the character  $c$  in the string  $s$ . The string terminator character ' $\backslash 0$ ' is included in the search.

```
int strspn ( const char *s1 , const char *s2 );
```

Determines the length of the maximum initial substring of  $s1$  that consists only of characters contained in  $s2$ .

```
char *strstr ( const char *s1 , const char *s2 );
```

Locates the first occurrence of  $s2$  (without the terminating ' $\backslash 0$ ') in  $s1$ .

```
char *strtok ( char *s1 , const char *s2 );
```

Breaks the string in  $s1$  into the substrings ("tokens") delimited by any of the characters contained in  $s2$ .

```
size_t strxfrm ( char *s1 , const char *s2 , size_t n );
```

Performs a locale-specific transformation (such as a case conversion) of  $s2$  and copies the result to the char array with length  $n$  that is referenced by  $s1$ .

Similar functions for wide-character strings, declared in the header file *wchar.h* (\*), have names beginning with *wcs* in place of *str*.

### 1.20.1 Conversion Between Strings and Numbers

A variety of functions are declared in the header file *stdlib.h* to obtain numerical interpretations of the initial digit characters in a string. The resulting number is the return value of the function.

```
int atoi ( const char *s );
```

Interprets the contents of the string  $s$  as a number with type `int`. The analogous functions `atol()`, `atoll()` (\*), and `atof()` are used to convert a string into a number with type `long`, `long long` (\*), or `double`.

```
double strtod ( const char *s , char **pptr );
```

Serves a similar purpose to that of `atof()`, but takes the address of a `char` pointer as a second argument. If the `char` pointer referenced by `pptr` is not `NULL`, it is set to the first character in the string  $s$  (excluding any leading whitespace) that is not part of the substring representing a floating-point number.

The corresponding functions for conversion to the types `float` and `long double` are `strtof()` (\*) and `strtold()` (\*).

```
long strtol ( const char *s , char **pptr , int base );
```

Converts a string to a number with type `long`. The third parameter is the base of the numeral string, and may be an integer between 2 and 36, or 0. If `base` is 0, the string  $s$  is interpreted as a numeral in base 8, 16, or 10,

depending on whether it begins with 0, 0x, or one of the digits 1 to 9.

The analogous functions for converting a string to unsigned long, long long<sup>(\*)</sup> or unsigned long long<sup>(\*)</sup> are `strtoul()`<sup>(\*)</sup>, `strtoll()`<sup>(\*)</sup>, and `strtoull()`<sup>(\*)</sup>.

The header file *inttypes.h*<sup>(\*)</sup> also declares the functions `strtoimax()` and `strtoumax()`, which convert the initial digits in a string to an integer of type `intmax_t` or `uintmax_t`.

Similar functions for wide-character strings are declared in the header file *wchar.h*<sup>(\*)</sup>. Their names begin with `wcs` in place of `str`.

The following function from the `printf` family is used to convert numeric values into a formatted numeral string:

```
int sprintf (char *s ,const char *format ,.../*a1 ,...,an */);
```

Copies the format string *format* to the `char` array referenced by *s*, with the conversion specifications replaced using the values in the argument list *a1*, . . . , *an*.

Numerical values can also be read from a string based on a format string:

```
int sscanf (char *s ,const char *format ,.../*a1 ,...,an */);
```

Reads and converts data from *s*, and copies the resulting values to the locations addressed by the argument list *a1*, . . . , *an*.

The functions `vsprintf()` and `vsscanf()` are similar to `sprintf()` and `sscanf()`, but with the variable argument list replaced by an object of type `va_list` that has been initialized using the `va_start` macro (see [Section 1.11.4](#) earlier in this book). The functions `snprintf()` and `vsnprintf()` write a maximum of *n* characters, including the string terminator character, to the array referenced by *s*. These functions return the number of characters actually written to the array, not counting the string terminator character.

The corresponding formatted string input/output functions for wide-character strings are declared in *wchar.h*<sup>(\*)</sup>. Their names begin with `sw` (for "string, wide") in place of the initial `s` (for "string") in the names of the functions described above for `char` strings. For example, `swprintf()`.

## 1.20.2 Multibyte Character Conversion

A multibyte character may occupy more than one byte in memory. The maximum number of bytes that can be used to represent a multibyte character is the value of the macro `MB_CUR_MAX`, which is defined in *stdlib.h*. Its value is dependent on the current locale. In the default locale "C", `MB_CUR_MAX` has the value 1.

Every multibyte character corresponds to exactly one character of type `wchar_t`. The functions for multibyte character conversion are declared in the header file *stdlib.h*.

```
int mblen ( const char *s , size_t max );
```

Determines the length of the multibyte character pointed to by *s*. The maximum length of the character is specified by *max*. Accordingly, *max* must not exceed `MB_CUR_MAX`.

```
size_t wctomb ( char *s , wchar_t wc );
```

Converts the wide character *wc* into the multibyte representation, and writes the corresponding multibyte character in the array addressed by *s*.

```
size_t wcstombs ( char *s , const wchar_t *p , size_t n );
```

Converts the first  $n$  wide characters referenced by  $p$  into multibyte characters, and copies the results to the char array addressed by  $s$ .

```
size_t mbtowlc ( wchar_t *p , const char *s , size_t max );
```

Determines the wide character code corresponding to the multibyte character in  $s$ , whose maximum length is specified by  $max$ , and copies the result to the `wchar_t` variable referenced by  $p$ .

```
size_t mbstowcs ( wchar_t *p , const char *s , size_t n );
```

Converts the first  $n$  multibyte characters of  $s$  into the wide characters and copies the result to the array addressed by  $s$ .

Similar functions with an additional `r` in their names (for restartable) are also declared in `wchar.h`(<sup>\*</sup>). The restartable functions have an additional parameter, a pointer to the type `mbstate_t`, that must point to an object describing the current wide/multibyte character conversion state. Furthermore, the function `mbsinit()`(<sup>\*</sup>) can be used to test whether the current conversion state is an initial conversion state.

## 1.21 Searching and Sorting

The following two functions are declared in the header file *stdlib.h* as general utilities for searching and sorting:

```
void qsort (void *a , size_t n , size_t size ,
            int (*compare) (const void *,const void *));
```

Sorts the array *a* using the quick-sort algorithm. The array is assumed to have *n* elements whose size is *size*.

```
void *bsearch ( const void *key , const void *a ,
                size_t n , size_t size , int
                (*compare)( const void*, const void* ) );
```

Searches in a sorted array *a* for the keyword addressed by *key*, using the binary search algorithm. The array *a* is assumed to have *n* array elements whose size is *size*.

The last parameter to these functions, *compare*, is a pointer to a function that compares two elements of the array *a*. Usually this function must be defined by you, the programmer. Its parameters are two pointers to the array elements to be compared. The function must return a value that is less than, equal to, or greater than 0 to indicate whether the first element is less than, equal to, or greater than the second. To search or sort an array of `float` values, for example, the following comparison function could be specified:

```
int floatcmp( const void* p1, const void* p2 )
{ float x = *(float *)p1,
  y = *(float *)p2;
  return x <= y ? ( x < y ? -1 : 0) : 1;
}
```



## 1.22 Memory Block Management

The following functions declared in *string.h* are used to compare, search, or initialize memory buffers:

```
void *memchr ( const void *buf , int c , size_t n );
```

Searches the first *n* bytes of the buffer *buf* for the first occurrence of the character *c*.

```
void *memcmp ( const void *s1 , const void *s2 , size_t n );
```

Compares the first *n* bytes in the buffer *s1* with the corresponding bytes in the buffer *s2*. The return value is less than, equal to, or greater than 0 to indicate whether *s1* is less than, equal to, or greater than *s2*.

```
void *memcpy ( void *dest , const void *src , size_t n );
```

Copies *n* bytes from the buffer *src* to the buffer *dest*.

```
void *memmove ( void *dest , const void *src , size_t n );
```

Copies *n* bytes from the buffer *src* to the buffer *dest*. In case the buffers overlap, every character is read before another character is written to the same location.

```
void *memset ( void *dest , int c , size_t n );
```

Fills the first *n* bytes of the buffer *dest* with the character *c*.

The corresponding *wmem...* functions, for handling buffers of wide characters with type *wchar\_t*, are declared in the header file *wchar.h*(<sup>\*</sup>).





## 1.23 Dynamic Memory Management

In order to make efficient use of memory, it is important for a program to be able to allocate and release blocks of memory dynamically during execution. The functions for dynamic memory management are declared in the header file *stdlib.h*.

A successful call to one of the memory allocation functions returns the beginning address of a memory block of the requested size. The return value has the type "pointer to `void`". The program can then use the allocated block in any way desired. When a block of memory is no longer needed, it should be released. All dynamically allocated memory blocks are automatically released when the program exits.

```
void *malloc ( size_t size );
```

Allocates a memory block of *size* bytes.

```
void *calloc ( size_t n , size_t size );
```

Allocates enough memory to hold an array of *n* elements, each of which has the size *size*, and initializes every byte with the value 0.

```
void *realloc ( void *ptr , size_t n );
```

Changes the length of the memory block referenced by *ptr* to the new length *n*. If the memory block has to be moved in order to provide the new size, then its current contents are automatically copied to the new location.

```
void free ( void *ptr );
```

Releases the memory block referenced by *ptr*.

The following example uses `malloc` to allocate space for an array of 1000 integers:

```
// Get space for 1000 int values:
int *iArr = (int*)malloc( 1000 * sizeof( int ) );
```

These functions can be called as often as necessary, and in any order. The pointer argument passed to `realloc()` and `free()` must refer to a memory block that has been dynamically allocated, of course.



## 1.24 Time and Date

The ANSI C library includes a set of functions to determine the current time and date, to convert time and date information, and to generate formatted time and date strings for output. These functions are declared in the header file *time.h*.

The principal functions for determining the current time are:

```
clock_t clock( void );
```

Returns the CPU time used by the program so far, with type `clock_t` (usually equivalent to `long`). The result can be converted to seconds by dividing it by the constant `CLOCKS_PER_SEC`.

```
time_t time ( time_t *pSec );
```

Returns the number of seconds that have elapsed since a certain time (usually January 1, 1970, 00:00:00 o'clock). If the pointer `pSec` is not `NULL`, the result is also copied to the location it addresses. The type `time_t` is generally defined as `long`.

The functions for converting and formatting date and time information are:

```
double difftime ( time_t t1 , time_t t0 );
```

Returns the number of seconds between `t0` and `t1`.

```
struct tm *gmtime ( const time_t *pSec );
```

Returns a pointer to the current Greenwich Mean Time as a structure of type `struct tm`, with members of type `int` for the second, minute, hour, day, etc.

```
struct tm *localtime ( const time_t *pSec );
```

Like `gmtime()`, but returns the local time rather than Greenwich Mean Time.

```
char *ctime ( const time_t *pSec );
```

```
char *asctime ( const struct tm *ptm );
```

```
size_t strftime (char *dest , size_t maxsize ,  
                const char *format , const struct tm *ptm );
```

These functions generate a string representing the local date and time. `strftime()` accepts a format string to control the output format.

The function `wcsftime()` is a version of `strftime()` for wide-character strings, and is declared in the header file *wchar.h*(\*).

Figure 1-6 illustrates the uses of the time and date functions.

**Figure 1-6. Usage of time and date functions**



## 1.25 Process Control

A process is a program that is being executed. The attributes that a process can have vary from one operating system to another. For this reason, the process control functions work in ways that are specific to certain systems.

### 1.25.1 Communication with the Operating System

#### *Environment*

In operating systems such as Unix and Windows, each process is started in an environment represented by a list of strings with the form *NAME=VALUE*. These "environment variables" can be read using the function `getenv()`.

#### *System calls*

The function `system()` invokes the system's command interpreter and gives it a command to execute.

#### *Program termination*

A C program is normally terminated via a call to the function `exit()`, or by a `return` statement in the function `main()`. On normal termination, the following actions are performed:

1. Any functions that have been installed by `atexit()` are executed.
2. The I/O buffers are flushed and the files closed.
3. The files created by `tmpfile()` are deleted.

The function `abort()`, on the other hand, ends a C program without performing the actions just listed. This function does produce an error message announcing that the program was aborted, however.

The function `exit()` can be called with one of the constants `EXIT_FAILURE` and `EXIT_SUCCESS`, defined in *stdlib.h*, as an argument. In this way the program can inform its parent process whether it "failed" or "succeeded."

All of the functions described in this section are declared in the header file *stdlib.h*.

### 1.25.2 Signals

The operating system can send processes a signal when an exceptional situation occurs. This may happen in the event of a severe fault, such as a memory addressing error for example, or when a hardware interrupt occurs. Signals can also be triggered by the user at the console, however, or by the program itself, using the function `raise()`. Functions and macros for dealing with signals are declared in the header file *signal.h*.

Each type of signal is assigned a constant signal number and identified by a macro name. These include the signals listed in [Table 1-41](#).

Table 1-41. Macros for signals in <i>signal.h</i>	
Signal number	Meaning
SIGABRT	Abort: abnormal program termination, as caused by the <code>abort()</code> function
SIGFPE	Floating point exception: caused by an overflow, division by 0, or other FPU or emulation errors

SIGILL	Illegal instruction: an invalid instruction was encountered in the machine code
SIGINT	Interrupt: the break key (e. g., Ctrl-C) was pressed
SIGSEGV	Segmentation violation: illegal memory access
SIGTERM	Terminate: a request to terminate the program (in Unix, the standard signal sent by the <code>kill</code> command)

Other signals may be defined depending on the operating system.

```
int raise ( int sig );
```

Sends the signal *sig* to the program which called the function.

```
void ( *signal ( int sig , void ( *func ) ( int ) ) ) ( int );
```

Specifies how the program responds to a signal with the number *sig*. The second argument, *func*, identifies the signal handler. This may be a pointer to a function, or one of the following constants:

- SIG\_DFL Execute the default signal handler.
- SIG\_IGN Ignore the signal.

The default signal handler terminates the program. If unsuccessful, `signal()` returns the value SIG\_ERR.

The header file *signal.h* also defines the integer type `sig_atomic_t`. This type is used for static objects which can be accessed by a hardware interrupt signal handler.

### 1.25.3 Non-Local Jumps

Local jumps, or jumps within a function, are performed by the `goto` statement. The macro `setjmp()`, on the other hand, marks a location in the program (by storing the pertinent process information) so that execution can be resumed at that point at any time by a call to the function `longjmp()`. The `longjmp()` function and the `setjmp()` macro are declared in the header file `setjmp.h`.

```
int setjmp ( jmp_buf env );
```

Saves the current calling environment (CPU registers and stack) in the buffer *env*, which has the type `jmp_buf`.

```
void longjmp ( jmp_buf env , int retval );
```

Restores the saved environment, so that program execution continues at the point where `setjmp()` was called.

The program can use the return value of `setjmp()` to determine whether `setjmp()` itself was just called, or whether a jump to this point by means of `longjmp()` has just occurred. `setjmp()` itself returns the value 0, but after a call to `longjmp()` the apparent return value of `setjmp()` is the value of the argument *retval*. If *retval* is equal to 0, the apparent return value is 1.

### 1.25.4 Error Handling for System Functions

If an error occurs during a call to a system function, the global error variable `errno` is assigned an appropriate error code. The following three functions are used to provide the corresponding system error messages:

```
void perror ( const char *string );
```

*Declared in `stdio.h`*

Writes the text pointed to by *string*, followed by the system error message corresponding to the current value of `errno`, to the standard error stream.

```
char *strerror ( int errnum );
```

*Declared in `string.h`*

Returns a pointer to the system error message corresponding to *errnum*. The value of *errnum* is usually obtained from the error variable `errno`.

The following two statements result in the same output:

```
perror( "OPEN" );
fprintf( stderr, "OPEN: %s\n", strerror( errno ) );
void assert ( int expression ); Declared in assert.h
```

This macro tests the scalar expression *expression*. If the result is 0, or "false", then `assert()` writes the expression, function name, filename, and line number to the standard error stream, and then aborts program. If the expression is "true" (i.e., not equal to 0), no action is taken and the program continues.

If the macro `NDEBUG` is defined, calls to `assert()` have no effect.





## 1.26 Internationalization

The ANSI standard supports the development of C programs that are adaptable to language and country-specific customs, such as the formatting of currency strings. The ANSI library also provides two functions, the type `lconv`, and macros for dealing with locales. These are declared in the header file *locale.h*.

All programs start with the default locale "C", which contains no country or language-specific information. During execution, the program can change to another locale and retrieve locale-specific information. Since most applications do not require the full range of locale-specific information, this information is classified into categories, as shown in [Table 1-42](#).

Category	Portions of the locale affected
LC_ALL	The entire locale, including all of the categories below
LC_COLLATE	Only the functions <code>strcoll()</code> and <code>strxfrm()</code>
LC_CTYPE	Functions for character processing, such as <code>isalpha()</code> and the multibyte functions
LC_MONETARY	The currency formatting information returned by <code>localeconv()</code>
LC_NUMERIC	The decimal point character used by input/output and string conversion functions, and the formatting of non-currency numeric information, as returned by <code>localeconv()</code>
LC_TIME	Formatting of date and time information by <code>strftime()</code>

The following function is used to adapt a program to a specific locale:

```
char *setlocale ( int category , const char *name );
```

The argument *category* is one of the symbolic constants described in [Table 1-42](#), and *name* points to a string which identifies the desired locale for the specified category.

The name string may have at least the following values:

"C"

The default locale, with no country-specific information.

""

The compiler's native locale.

NULL

`setlocale()` makes no changes, but returns the name of the current locale. This name can later be passed to `setlocale()` as an argument to restore the locale after it has been changed.

The following standard function groups use locale information: formatted input/output, character classification and case mapping, multibyte character handling, multibyte string handling, and conversion between strings and numeric values.

The following function can be used to obtain information for formatting numeric strings, such as the decimal point and currency symbol characters:

```
struct lconv* localeconv ( void );
```

Fills in a structure of type `struct lconv` with the values defined by the current locale. The members of this structure type must include at least those shown in the following example. The sample values in parentheses are those for Switzerland:

```

struct lconv {

//   Information for non-currency values:

    char *decimal_point; // The decimal character
                        // (".")

    char *thousands_sep; // The character used to group
                        // digits left of the decimal
                        // point (",")

    char *grouping; // Number of digits in each group
                   // ("\3")

//   Information for currency values:

    char *int_curr_symbol; // The three-letter symbol for
                        // the local currency per ISO
                        // 4217, with a separator
                        // character ("CHF ")

    char *currency_symbol; // The local currency
                        // symbol ("SFrs.")

    char *mon_decimal_point; // The decimal point character
                        // for currency strings (".")

    char *mon_thousands_sep; // The character used to group
                        // digits left of the decimal
                        // point (".")

    char *mon_grouping; // Number of digits in each group
                       // ("\3")

    char *positive_sign; // Sign for positive
                        // currency strings ("")

    char *negative_sign; // Sign for negative
                        // currency strings ("C")

    char int_frac_digits; // Number of digits after the
                        // decimal point in the
                        // international format (2)

```

```

char frac_digits;      // Number of digits after the
                        // decimal point in the local
                        // format (2)

char p_cs_precedes;   // For non-negative values:
                        // 1 = currency symbol is before,
                        // 0 = after the amount (1)

char p_sep_by_space;  // For non-negative values:
                        // 1 = currency symbol is before,
                        // 0 = after the amount (1)

char n_cs_precedes;   // For negative values:
                        // 1 = currency symbol is before,
                        // 0 = after the amount (1)

char n_sep_by_space;  // For negative values:
                        // 1 = space, 0 = no space
                        // between currency
                        // symbol and amount (0)

char p_sign_posn;     // Position of positive_sign (1)
char n_sign_posn;     // Position of negative_sign (2)

char int_p_cs_precedes; // For non-negative
                        // internationally formatted
                        // values:
                        // 1=space, 0 = no space
                        // between currency symbol
                        // and amount (1)

char int_p_sep_by_space; // For non-negative
                        // internationally formatted
                        // values:
                        // 1 = space, 0 = no space
                        // between currency symbol
                        // and amount (0)

```

```

char int_n_cs_precedes; // For negative internationally
                        // formatted values:
                        // 1= currency symbol precedes
                        // amount, 0 = currency symbol
                        // follows amount (1)

char int_n_sep_by_space; // For negative internationally
                        // formatted values:
                        // 1 = space, 0 = no space
                        // between symbol and amount (0)

char int_p_sign_posn; // Position of positive sign for
                     // internationally formatted
                     // values (1)

char int_n_sign_posn; // Position of negative sign for
                     // internationally formatted
                     // values (2)

};

```

If the value of `p_sign_posn`, `n_sign_posn`, `int_p_sign_posn`, or `int_n_sign_posn` is 0, the amount and the currency symbol are set in parentheses. If 1, the sign string is placed before the amount and the currency symbol. If 2, the sign string is placed after the amount and the currency symbol. If 3, the sign string immediately precedes the currency symbol. If 4, the sign string is placed immediately after the currency symbol.

The value `\3` in the strings `grouping` and `mon_grouping` means that each group consists of three digits, as in